

## Chosen Generation

4444 CYPRESS CREEK PKWY STE 20  
HOUSTON, TX

### 5 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Apr 8, 2026



● 1 Critical ● 4 Important

Across 5 inspections since 2025, the issues cited most often were Background Check Validation - You Must Inactivate a Subject Who Is No Longer Associated with Your Operation Within 7 Days of Leaving (2), Required Admission Information - Emergency Medical Authorization (1), and Chairs - Safety Straps Used if Required by Manufacturer (1). Of 5 total findings, 1 was critical.

### Inspection Visits

**Apr 8, 2026** 1 Finding ● 1 Important

● **Background Check Validation - You Must Inactivate a Subject Who Is No Longer Associated with Your Operation Within 7 Days of Leaving**

745.651(1)

**Nov 5, 2025** 1 Finding ● 1 Critical

● **Required Admission Information - Emergency Medical Authorization**

746.605(11)

**Nov 3, 2025** 1 Finding ● 1 Important

● **Chairs - Safety Straps Used if Required by Manufacturer**

746.4501(b)

**Oct 1, 2025** 1 Finding ● 1 Important

● **Background Check Validation - Every 3 Months Each Operation, Other Than a Licensed, Registered, or Listed Home, Must Validate Current List**

745.651(2)(A)

#### About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

**Aug 8, 2025** 1 Finding ● 1 Important

- **Written Operational Policies - Preventing and Responding to Abuse and Neglect**  
746.501(a)(26)

#### About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.