

Seguin Head Start Center

1575 N AUSTIN ST
SEGUIN, TX

4 Inspection Visits Since 2025 · 4 Findings

Most recent inspection: Feb 26, 2026



● 3 Critical ● 1 Important

Across 4 inspections since 2025, the issues cited most often were Written Feeding Instructions - Review and Update Every 30 Days (1), Electronic or Battery-Operated Carbon Monoxide Detector-Check All Detectors Monthly (1), and Supervision Ensures Each Child?s Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child?s on Going Activity (1). Of 4 total findings, 3 were critical.

Inspection Visits

Feb 26, 2026 1 Finding ● 1 Important

- **Written Feeding Instructions - Review and Update Every 30 Days**
746.2421(b)

Feb 23, 2026 1 Finding ● 1 Critical

- **Electronic or Battery-Operated Carbon Monoxide Detector-Check All Detectors Monthly**
746.5537(a)(2)

Dec 9, 2025 1 Finding ● 1 Critical

- **Supervision Ensures Each Child?s Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child?s on Going Activity**
746.1205(a)(4)

Apr 4, 2025 1 Finding ● 1 Critical

- **Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months**
746.5101(a)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.