

AlphaBEST @ Tadlock - Frisco

12515 GODFREY DR
FRISCO, TX

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Dec 11, 2024



● 2 Critical ● 3 Important

Across 3 inspections since 2024, the issues cited most often were Maintenance Procedures for Active Play - Monthly Maintenance Checklist (2), Fire Drill Monthly - Exit in 3 Minutes (2), and Parental Notification of Less Serious Injuries (1). Of 5 total findings, 2 were critical.

Inspection Visits

Dec 11, 2024 2 Findings ● 1 Critical ● 1 Important

● **Fire Drill Monthly - Exit in 3 Minutes**

744.3559(1)

● **Maintenance Procedures for Active Play - Monthly Maintenance Checklist**

744.3113(b)

Oct 31, 2024 2 Findings ● 1 Critical ● 1 Important

● **Fire Drill Monthly - Exit in 3 Minutes**

744.3559(1)

● **Maintenance Procedures for Active Play - Monthly Maintenance Checklist**

744.3113(b)

Apr 5, 2024 1 Finding ● 1 Important

● **Parental Notification of Less Serious Injuries**

744.307(c)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.