

Chestnut Square Academy

402 S CHESTNUT ST
MCKINNEY, TX

4 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Apr 20, 2026



● 1 Critical ● 4 Important

Across 4 inspections since 2025, the issues cited most often were Children's Records - Immunizations (2), Safety - Electrical Outlets Covered (1), and Documented Annual Training Area - 24 Hours Required (1). Of 5 total findings, 1 was critical.

Inspection Visits

Apr 20, 2026 1 Finding ● 1 Important

● **Children's Records - Immunizations**
746.603(a)(4)

Mar 17, 2026 1 Finding ● 1 Critical

● **Safety - Electrical Outlets Covered**
746.3701(1)

May 16, 2025 2 Findings ● 2 Important

● **Documented Annual Training Area - 24 Hours Required**
746.1309(a)

● **Director Annual Training 30 Hours Required**
746.1311(a)

May 9, 2025 1 Finding ● 1 Important

● **Children's Records - Health Statement**
746.603(a)(3)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.