

Bright Steps TX LLC

589 CARLOS G PARKER BLVD NW
TAYLOR, TX

3 Inspection Visits Since 2025 · 4 Findings

Most recent inspection: Nov 26, 2025

● 4 Critical

Across 3 inspections since 2025, the issues cited most often were Additional Minimum Qualifications for Caregivers - HS Diploma, Equivalent, Certification of Completion (1), Each Caregiver and the Director Must Have Current Training in Pediatric First Aid with Rescue Breathing and Choking. (1), and Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months (1). Of 4 total findings, 4 were critical.

Inspection Visits

Nov 26, 2025 2 Findings ● 2 Critical

● **Additional Minimum Qualifications for Caregivers - HS Diploma, Equivalent, Certification of Completion**
746.1107(2)

● **Each Caregiver and the Director Must Have Current Training in Pediatric First Aid with Rescue Breathing and Choking.**
746.1315(a)

Aug 20, 2025 1 Finding ● 1 Critical

● **Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months**
746.5101(a)

Jul 16, 2025 1 Finding ● 1 Critical

● **Safety Requirements for Active Play Equipment - No Entrapment Openings**
746.4601(3)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.