

Spuds & Sprouts Playhouse

40441 MOSTYN LAKE DR
MAGNOLIA, TX

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Dec 15, 2025



● 3 Critical ● 2 Important

Across 2 inspections since 2025, the issues cited most often were Animals at Center - Documentation of Vaccinations (2), Must Have at Least One 3A-40BC Dry Chemical Fire Extinguisher or Fire Extinguisher Approved by Fire Marshal (1), and Food Allergy Emergency Plan Signed by Parents and Health Care Professional (1). Of 5 total findings, 3 were critical.

Inspection Visits

Dec 15, 2025 4 Findings ● 3 Critical ● 1 Important

● **Food Allergy Emergency Plan Signed by Parents and Health Care Professional**

747.3619

● **Animals at Center - Documentation of Vaccinations**

747.3703(a)

● **Must Have at Least One 3A-40BC Dry Chemical Fire Extinguisher or Fire Extinguisher Approved by Fire Marshal**

747.5103

● **Animals at Center - Statement of Health From Veterinarian**

747.3703(b)

Dec 12, 2025 1 Finding ● 1 Important

● **Required Posting of Emergency Telephone Numbers**

747.403(a)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.