

Dai Quang Dinh

3300 LANDHOPE CIR
ARLINGTON, TX

3 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Feb 28, 2025



● 3 Critical ● 1 Important

Across 3 inspections since 2023, the issues cited most often were Licensed Operations Required Fees (2), Must Have at Least One 3A-40BC Dry Chemical Fire Extinguisher or Fire Extinguisher Approved by Fire Marshal (1), and Children's Records - Health Statement (1). Of 4 total findings, 3 were critical.

Inspection Visits

Feb 28, 2025 1 Finding ● 1 Critical

- **Licensed Operations Required Fees**
745.509

Feb 3, 2025 1 Finding ● 1 Critical

- **Licensed Operations Required Fees**
745.509

Sep 22, 2023 2 Findings ● 1 Critical ● 1 Important

- **Must Have at Least One 3A-40BC Dry Chemical Fire Extinguisher or Fire Extinguisher Approved by Fire Marshal**
747.5103
- **Children's Records - Health Statement**
747.603(a)(3)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.