

Joanna Lara

1022 BRIGHAM DR
FORNEY, TX

5 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Sep 21, 2025



● 3 Critical ● 2 Important

Across 5 inspections since 2024, the issues cited most often were Maintain Menus (1), Fire Drill Monthly - Exit in 3 Minutes (1), and AP Background Check Results - Must Receive Notification Prior to Allowing Subject to Be Present at Your Operation (1). Of 5 total findings, 3 were critical.

Inspection Visits

Sep 21, 2025 1 Finding ● 1 Important

● **Maintain Menus**
747.3113(1)

Aug 31, 2025 1 Finding ● 1 Critical

● **Fire Drill Monthly - Exit in 3 Minutes**
747.5005(1)

Apr 18, 2024 1 Finding ● 1 Critical

● **AP Background Check Results - Must Receive Notification Prior to Allowing Subject to Be Present at Your Operation**
745.641

Apr 17, 2024 1 Finding ● 1 Important

● **Children's Records - Immunizations**
747.603(a)(4)

Apr 16, 2024 1 Finding ● 1 Critical

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

- **Must Have at Least One 3A-40BC Dry Chemical Fire Extinguisher or Fire Extinguisher Approved by Fire Marshal**

747.5103

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.