

Lien Bich Pham

16322 REDDINGFORD LN
HOUSTON, TX

2 Inspection Visits Since 2023 - 3 Findings

Most recent inspection: Dec 4, 2023



● 1 Critical ● 2 Important

Across 2 inspections since 2023, the issues cited most often were Registered or Licensed Child-Care Home Must Be Equipped with a Working Carbon Monoxide (CO) Detection System, Unless Located in a School Facility (1), Children's Records - Admission Information (1), and Liability Insurance Requirements - Provide Proof of Coverage Annually by Anniversary Date of Issuance (1). Of 3 total findings, 1 was critical.

Inspection Visits

Dec 4, 2023 2 Findings ● 1 Critical ● 1 Important

● **Registered or Licensed Child-Care Home Must Be Equipped with a Working Carbon Monoxide (CO) Detection System, Unless Located in a School Facility**

747.5331

● **Children's Records - Admission Information**

747.603(a)(2)

Nov 20, 2023 1 Finding ● 1 Important

● **Liability Insurance Requirements - Provide Proof of Coverage Annually by Anniversary Date of Issuance**

747.209(2)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.