

Holy Hands Learning Center

1920 CORPUS CHRISTI ST
LAREDO, TX

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Sep 29, 2025

● 5 Critical

Across 3 inspections since 2024, the issues cited most often were Maintenance of Building, Grounds and Equipment (1), Requirement of Gas Leak Inspection (1), and Child/ Caregiver Ratio - 13 or More Children (1). Of 5 total findings, 5 were critical.

Inspection Visits

Sep 29, 2025 2 Findings ● 2 Critical

● Maintenance of Building, Grounds and Equipment
746.3407

● Requirement of Gas Leak Inspection
746.5401

Sep 15, 2025 1 Finding ● 1 Critical

● Child/ Caregiver Ratio - 13 or More Children
746.1601

Oct 4, 2024 2 Findings ● 2 Critical

● Child/Caregiver Ratio - 18 Months Difference in Age
746.1605(1)

● Infant May Not Sleep in a Restrictive Device - Remove the Infant From the Device and Place the Infant in a Crib as Soon as Possible
746.2426(a)(2)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.