

Bradley Elementary YMCA

4200 FALLS LAKE DR
SPRING, TX

5 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: May 28, 2025

● 5 Critical

Across 5 inspections since 2025, the issues cited most often were Site Director Qualifications (4) and AP Background Check Results - Must Receive Notification Prior to Allowing Subject to Be Present at Your Operation (1). Of 5 total findings, 5 were critical.

Inspection Visits

May 28, 2025 1 Finding ● 1 Critical

● **Site Director Qualifications**
744.1017(a)

May 20, 2025 1 Finding ● 1 Critical

● **AP Background Check Results - Must Receive Notification Prior to Allowing Subject to Be Present at Your Operation**
745.641

May 15, 2025 1 Finding ● 1 Critical

● **Site Director Qualifications**
744.1017(a)

Apr 3, 2025 1 Finding ● 1 Critical

● **Site Director Qualifications**
744.1017(a)

Mar 21, 2025 1 Finding ● 1 Critical

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

- **Site Director Qualifications**
744.1017(a)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.