

# The Childrens Courtyard

1865 WIMBLEDON DR  
ARLINGTON, TX

## 3 Inspection Visits Since 2026 · 5 Findings

Most recent inspection: May 29, 2026



● 2 Critical ● 3 Important

Across 3 inspections since 2026, the issues cited most often were Required Records Maintained and Made Available - Safety Documentation for Emergency Drills, Fire Extinguishers, & Smoke Detectors (2), Maintenance Procedures for Active Play - Hazards Removed or Repaired (1), and Food Allergy Emergency Plan Signed by Parents and Health Care Professional (1). Of 5 total findings, 2 were critical.

## Inspection Visits

**May 29, 2026** 1 Finding ● 1 Critical

- **Maintenance Procedures for Active Play - Hazards Removed or Repaired**  
746.4751(c)

**Apr 17, 2026** 3 Findings ● 1 Critical ● 2 Important

- **Food Allergy Emergency Plan Signed by Parents and Health Care Professional**  
746.3819
- **Required Records Maintained and Made Available - Safety Documentation for Emergency Drills, Fire Extinguishers, & Smoke Detectors**  
746.801(10)
- **Required Records Maintained and Made Available - Personnel and Training Records**  
746.801(3)

**Apr 15, 2026** 1 Finding ● 1 Important

- **Written Feeding Instructions - Review and Update Every 30 Days**  
746.2421(b)

## About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.