

Thuy Nguyen

722 WINDSOR DR
PRINCETON, TX

3 Inspection Visits Since 2026 · 5 Findings

Most recent inspection: Mar 27, 2026



● 2 Critical ● 3 Important

Across 3 inspections since 2026, the issues cited most often were Posting Requirements-Keeping Children Safe Poster (2), Written Operational Policies - Emergency Preparedness Plans (1), and Written Activity Plan - Develop and Follow (1). Of 5 total findings, 2 were critical.

Inspection Visits

Mar 27, 2026 2 Findings ● 2 Important

● **Posting Requirements-Keeping Children Safe Poster**
747.401(a)(3)

● **Posting Requirements-Telephone Numbers**
747.401(a)(4)

Mar 20, 2026 1 Finding ● 1 Critical

● **Written Operational Policies - Emergency Preparedness Plans**
747.501(11)

Feb 24, 2026 2 Findings ● 1 Critical ● 1 Important

● **Diaper Changing Equipment - Smooth, Non-absorbent, Easy to Clean Surface**
747.3303(a)(1)

● **Written Activity Plan - Develop and Follow**
747.2102(a)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.