

Noahs Ark Preschool

201 N MOUNT ST
FAIRFIELD, TX

4 Inspection Visits Since 2026 · 5 Findings

Most recent inspection: Apr 22, 2026



● 3 Critical ● 2 Important

Across 4 inspections since 2026, the issues cited most often were Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months (1), Installation and Maintenance of Loose-fill Surfacing - Proper Depth Maintained (1), and Written Activity Plans (1). Of 5 total findings, 3 were critical.

Inspection Visits

Apr 22, 2026 1 Finding ● 1 Critical

- **Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months**
746.5101(a)

Apr 6, 2026 1 Finding ● 1 Critical

- **Installation and Maintenance of Loose-fill Surfacing - Proper Depth Maintained**
746.4907(d)

Mar 30, 2026 1 Finding ● 1 Important

- **Written Activity Plans**
746.2203(a)

Mar 27, 2026 2 Findings ● 1 Critical ● 1 Important

- **Fire Drill Monthly - Exit in 3 Minutes**
746.5205(1)
- **Written Feeding Instructions - Review and Update Every 30 Days**
746.2421(b)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.