

# Patrick, Michele

Layton, UT

## 3 Inspection Visits Since 2023 - 4 Findings

Most recent inspection: Jun 13, 2025

● 4 Important

Across 3 inspections since 2023, the issues cited most often were The Licensee Was Out of Compliance with R430-90-13(3) by Not Ensuring That Any Sharp Object, Edge, Corner, or Point That Could Cut or Puncture Skin Is Inaccessible to Children. In the Downstairs Playroom, There Was an Adult Pair of Scissors in a Child's Cubby. This Was a Repeat Rule Noncompliance As (3) and The Licensee Was Out of Compliance with R430-90-19(3)(a)-(c) by Not Ensuring That Stationary Play Equipment Has the Required Three Foot Use Zone. At the Time of Inspection, There Were Toys Within the Use Zone of the Playset. This Was a Repeat Rule Noncompliance as Noted On: 7/21/2022 and 6/14/2023. (1). None of the 4 findings were critical.

## Inspection Visits

**Jun 13, 2025** 2 Findings ● 2 Important

- **The Licensee Was Out of Compliance with R430-90-13(3) by Not Ensuring That Any Sharp Object, Edge, Corner, or Point That Could Cut or Puncture Skin Is Inaccessible to Children. In the Downstairs Playroom, There Was an Adult Pair of Scissors in a Child's Cubby. This Was a Repeat Rule Noncompliance As**  
R430-90-13(3)
- **The Licensee Was Out of Compliance with R430-90-19(3)(a)-(c) by Not Ensuring That Stationary Play Equipment Has the Required Three Foot Use Zone. At the Time of Inspection, There Were Toys Within the Use Zone of the Playset. This Was a Repeat Rule Noncompliance as Noted On: 7/21/2022 and 6/14/2023.**  
R430-90-19(3)(a)-(c)

**Oct 8, 2024** 1 Finding ● 1 Important

- **The Provider Was Out of Compliance with This Rule by Having Hot Water That Exceeded 120 Degrees Fahrenheit Accessible to Children. In the Bathroom Sink the Hot Water Temperature Measured 125 Degrees Fahrenheit. This Was a Repeat Rule Noncompliance.**  
R430-90-13(17)

**Oct 26, 2023** 1 Finding ● 1 Important

### About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.

- **The Provider Was Out of Compliance with This Rule by Having Sharps Accessible to Children. In the Outdoor Play Area, There Was a 6 Inch Stake on the Ground. This Was a Repeat Rule Noncompliance.**

R430-90-13(3)

#### **About this report**

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.