

Wasatch Christian School

South Ogden, UT

2 Inspection Visits Since 2024 - 2 Findings

Most recent inspection: Apr 29, 2025

● 2 Important

Across 2 inspections since 2024, the issues cited most often were The Provider Was Out of Compliance with Rule R381-100-13(9)(a) by Not Ensuring That Toxic or Hazardous Materials Including Cleaners, Insecticides, Lawn Products, and Flammable, Corrosive, and Reactive Materials Were Inaccessible to Children. In the Kindergarten Room, There Were Loose Batteries in T (2). None of the 2 findings were critical.

Inspection Visits

Apr 29, 2025 1 Finding ● 1 Important

- **The Provider Was Out of Compliance with Rule R381-100-13(9)(a) by Not Ensuring That Toxic or Hazardous Materials Including Cleaners, Insecticides, Lawn Products, and Flammable, Corrosive, and Reactive Materials Were Inaccessible to Children. In the Kindergarten Room, There Were Loose Batteries in T**

R381-100-13(9)(a)-(d)

Nov 14, 2024 1 Finding ● 1 Important

- **The Provider Was Out of Compliance with This Rule by Not Ensuring That Hazardous Chemicals Were Inaccessible to Children. In the Kinders Room, There Was a Container of Sanitizing Wipes Under the Sink, Accessible to Children. This Was a Repeat Rule Noncompliance.**

R381-100-13(9)(a)-(d)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.