

La Petite Academy 7714

Lehi, UT

3 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Feb 23, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were The Provider Was Out of Compliance with R381-100-13(9)(b) by Having Toxic or Hazardous Chemicals Accessible to Children. In the Pre-k Bathroom, There Was a Bottle of Cleaner on an Accessible Counter. This Was a Repeat Noncompliance as Noted on 12/18/2023, 11/10/2022. (2), On 01/20/2026 The Provider Was Out of Compliance with Rule R381-100-11: Child Supervision and Security by Not Ensuring That Each Caregiver Provided and Maintained Active Supervision of Each Child, Including Not Knowing the Number of Children in Their Care at Any Time. A Child Was Not Properly Supe (1), and The Provider Was Out of Compliance with R381-100-17(9)(a)-(c) by Not Recording the Date, Time, and Dosage of the Medication Given, and the Staff Administering the Medication Not Signing or Using Their Name or Initials. At the Time of the Inspection, There Was No Documentation of Medication Administr (1). None of the 5 findings were critical.

Inspection Visits

Feb 23, 2026 1 Finding ● 1 Important

- **On 01/20/2026 The Provider Was Out of Compliance with Rule R381-100-11: Child Supervision and Security by Not Ensuring That Each Caregiver Provided and Maintained Active Supervision of Each Child, Including Not Knowing the Number of Children in Their Care at Any Time. A Child Was Not Properly Supe**
R381-100-11(1)(a)-(g)

Jul 14, 2025 1 Finding ● 1 Important

- **The Provider Was Out of Compliance with R381-100-17(9)(a)-(c) by Not Recording the Date, Time, and Dosage of the Medication Given, and the Staff Administering the Medication Not Signing or Using Their Name or Initials. At the Time of the Inspection, There Was No Documentation of Medication Administr**
R381-100-17(9)(a)-(c)

Jul 2, 2025 3 Findings ● 3 Important

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.

- **The Provider Was Out of Compliance with R381-100-13(7) by Having Empty Plastic Bags Large Enough for a Child's Head to Fit Inside Accessible to Children Younger Than Five Years Old. In the Pre-k Bathroom, Empty Bags Were in a Drawer. This Was a Repeat Noncompliance as Noted on 11/26/2024, 12/18/2023**

R381-100-13(7)

- **The Provider Was Out of Compliance with R381-100-13(9)(b) by Having Toxic or Hazardous Chemicals Accessible to Children. In the Pre-k Bathroom, There Was a Bottle of Cleaner on an Accessible Counter. This Was a Repeat Noncompliance as Noted on 12/18/2023, 11/10/2022.**

R381-100-13(9)(a)-(d)

- **The Provider Was Out of Compliance with R381-100-19(23) by Having a Strangulation Hazard on or Within the Use Zone of Any Piece of Stationary Play Equipment. On the Play Equipment, There Was a Bolt That Was Loose and Extended More Than Two Threads Beyond the Face of the Nut.**

R381-100-19(23)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.