

# Layton Children's Center

Layton, UT

## 3 Inspection Visits Since 2023 - 4 Findings

Most recent inspection: Jul 10, 2025

● 4 Important

Across 3 inspections since 2023, the issues cited most often were The Provider Was Out of Compliance with Rule R381-100-13(9)(c) by Not Ensuring That Hazardous Chemicals, Including Any Cleaner, and Flammable, Corrosive, and Reactive Material Was Stored in a Container That Was Labeled with the Contents of the Container. In the Bathroom of the Green Bears Room, Ther (2), The Provider Was Out of Compliance with This Rule by Not Ensuring That Caregivers Provided and Maintained Active Supervision of Each Child, Including the Caregivers Knowing the Number of Children in Their Care at Any Time. In the 3/4's Classroom, the Caregiver Did Not Know the Number of Children In (1), and The Provider Was Out of Compliance with This Rule by Not Ensuring That Shredded Wood Products Used as Protective Cushioning Met Depth Requirements. On the 3 and Older Playground, the Wood Chips Used as Protective Cushioning Did Not Meet the Requirements of 6 Inches for Depth. This Was a Repeat Rule (1). None of the 4 findings were critical.

## Inspection Visits

**Jul 10, 2025** 2 Findings ● 2 Important

- **The Provider Was Out of Compliance with Rule R381-100-13(8) by Not Ensuring That Standing Water That Measured Two Inches or Deeper and Five by Five Inches or Greater in Diameter Was Inaccessible to Children. In the Infant/toddler Room, There Was a Bucket of Standing Water on the Side of the Sink, Ac**

R381-100-13(8)

- **The Provider Was Out of Compliance with Rule R381-100-13(9)(c) by Not Ensuring That Hazardous Chemicals, Including Any Cleaner, and Flammable, Corrosive, and Reactive Material Was Stored in a Container That Was Labeled with the Contents of the Container. In the Bathroom of the Green Bears Room, Ther**

R381-100-13(9)(a)-(d)

**Feb 8, 2024** 1 Finding ● 1 Important

### About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.

- **The Provider Was Out of Compliance with This Rule by Not Ensuring That Caregivers Provided and Maintained Active Supervision of Each Child, Including the Caregivers Knowing the Number of Children in Their Care at Any Time. In the 3/4's Classroom, the Caregiver Did Not Know the Number of Children In**

R381-100-11(1)(a)-(f)

**Aug 7, 2023** 1 Finding ● 1 Important

- **The Provider Was Out of Compliance with This Rule by Not Ensuring That Shredded Wood Products Used as Protective Cushioning Met Depth Requirements. On the 3 and Older Playground, the Wood Chips Used as Protective Cushioning Did Not Meet the Requirements of 6 Inches for Depth. This Was a Repeat Rule**

R381-100-19(15)(a)-(c)

#### About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.