

Greenhouse Childcare Center

Provo, UT

2 Inspection Visits Since 2025 · 4 Findings

Most recent inspection: Jul 16, 2025

● 4 Important

Across 2 inspections since 2025, the issues cited most often were The Provider Was Out of Compliance with R381-100-23(8) by Not Ensuring That the Diapering Surface Was Properly Sanitized After Use. In the Bumblebees Room, the Caregiver Sprayed the Diapering Surface with a Sanitizing Solution, and Immediately Wiped It Off. The Manufacturer's Instructions Stated Tha (2), The Provider Was Out of Compliance with R381-100-14(13) by Failing to Submit a Critical Incident Report to OL Within One Business Day. During an Investigation, the Investigator Determined That a Critical Incident Report Was Not Submitted to the Department After an Incident Which Happened on July 4, (1), and The Provider Was Out of Compliance with R381-100-24(13)(a) by Not Ensuring That Breast Milk Brought From Home for a Child's Individual Use Was Labeled with the Child's Name. In the Bumblebees Room, There Were Three Bottles of Breast Milk in the Fridge, Which Were Labeled with the Date and Time, But (1). None of the 4 findings were critical.

Inspection Visits

Jul 16, 2025 1 Finding ● 1 Important

- The Provider Was Out of Compliance with R381-100-14(13) by Failing to Submit a Critical Incident Report to OL Within One Business Day. During an Investigation, the Investigator Determined That a Critical Incident Report Was Not Submitted to the Department After an Incident Which Happened on July 4, R381-100-14(13)

Mar 20, 2025 3 Findings ● 3 Important

- The Provider Was Out of Compliance with R381-100-23(5) by Not Ensuring That the Diapering Surface Was in Good Repair. In the Ladybugs Room, the Diapering Surface Had Two Tears in the Surface. R381-100-23(5)
- The Provider Was Out of Compliance with R381-100-23(8) by Not Ensuring That the Diapering Surface Was Properly Sanitized After Use. In the Bumblebees Room, the Caregiver Sprayed the Diapering Surface with a Sanitizing Solution, and Immediately Wiped It Off. The Manufacturer's Instructions Stated Tha R381-100-23(8)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.

- **The Provider Was Out of Compliance with R381-100-24(13)(a) by Not Ensuring That Breast Milk Brought From Home for a Child's Individual Use Was Labeled with the Child's Name. In the Bumblebees Room, There Were Three Bottles of Breast Milk in the Fridge, Which Were Labeled with the Date and Time, But**
R381-100-24(13)(a)-(d)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.