

Little Wonders - North

Logan, UT

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Apr 17, 2025

● 5 Important

Across 3 inspections since 2024, the issues cited most often were The Provider Was Out of Compliance with Rule R381-100-13(4) by Not Ensuring That Choking Hazards Were Inaccessible to Children Younger Than Three Years Old. In the Outside Walkway That the 2 Year Old Class Uses to Get to Their Playground, There Were Four Pieces of Broken Plastic, Which Were Choking (2), The Provider Was Out of Compliance with Rule R381-100-8(1)(a) by Not Associating New Covered Individuals with the Facility Before They Became Involved with Child Care if the Individual Had a Current Background Check From CCL. At the Time of the Inspection, There Was a New Covered Individual Who Had (1), and The Provider Was Out of Compliance with This Rule by Not Conducting a Fire Evacuation Drill Monthly. At the Time of the Inspection, the Provider Had Not Conducted a Fire Evacuation Drill Monthly. This Was a Repeat Rule Noncompliance. (1). None of the 5 findings were critical.

Inspection Visits

Apr 17, 2025 2 Findings ● 2 Important

- **The Provider Was Out of Compliance with Rule R381-100-13(4) by Not Ensuring That Choking Hazards Were Inaccessible to Children Younger Than Three Years Old. In the Outside Walkway That the 2 Year Old Class Uses to Get to Their Playground, There Were Four Pieces of Broken Plastic, Which Were Choking**
R381-100-13(4)
- **The Provider Was Out of Compliance with Rule R381-100-8(1)(a) by Not Associating New Covered Individuals with the Facility Before They Became Involved with Child Care if the Individual Had a Current Background Check From CCL. At the Time of the Inspection, There Was a New Covered Individual Who Had**
R381-100-8(1)(a)-(b)

Nov 1, 2024 2 Findings ● 2 Important

- **The Provider Was Out of Compliance with This Rule by Not Ensuring That Choking Hazards Were Inaccessible to Children Younger Than Three Years Old. In the 2/3's Classroom, There Was a Broken Crayon in a Bin on a Shelf, Accessible to Children Younger Than Three Years Old. This Was a Repeat Rule Noncom**
R381-100-13(4)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.

- **The Provider Was Out of Compliance with This Rule by Not Conducting a Fire Evacuation Drill Monthly. At the Time of the Inspection, the Provider Had Not Conducted a Fire Evacuation Drill Monthly. This Was a Repeat Rule Noncompliance.**

R381-100-14(4)

Apr 12, 2024 1 Finding ● 1 Important

- **The Provider Was Out of Compliance with This Rule by Not Ensuring That Breast Milk Brought From Home for an Individual Child's Use Was Labeled with the Time It Had Been Prepared or Had Arrived That Day. In the Infant Room Refrigerator, There Were Two Bottles of Breast Milk That Had Been Brought Fro**

R381-100-24(13)(a)-(d)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.