

Mujinga, Mazal Germaine

Taylorsville, UT

2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Apr 7, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were The Licensee Was Out of Compliance with Rule R430-90-13(19)(a-d) by Having Hazardous Chemicals Accessible to Children. During the Inspection, Hazardous Chemicals Were Observed in the Upstairs Bathroom. (3), The Licensee Was Out of Compliance with Rule R430-90-9(14)(a-b) by Not Enclosing the Outdoor Are with a Fence. During the Inspection, in the Outdoor Area the Gate Was Broken. This Was a Repeat Rule Noncompliance as Noted on 4/8/2024. (1), and The Provider Was Out of Compliance with His Rule by Not Conducting Fire Drills. At the Time of the Inspection, Two Fire Drills Were Not Conducted. This Was a Repeat Rule Noncompliance. (1). None of the 5 findings were critical.

Inspection Visits

Apr 7, 2025 4 Findings ● 4 Important

- **The Licensee Was Out of Compliance with Rule R430-90-13(17) by Having Hot Water That Exceeded 120 Degrees Fahrenheit Accessible to Children in Care. During the Inspection, the Hot Water Temperature Was 130 Degrees Fahrenheit. This Was a Repeat Rule Noncompliance as Noted on 4/8/2024 & 5/19/2022.**
R430-90-13(17)
- **The Licensee Was Out of Compliance with Rule R430-90-13(7) by Having Plastic Bags Accessible to Children in Care. During the Inspection, Plastic Bags Were Found in the Kitchen.**
R430-90-13(7)
- **The Licensee Was Out of Compliance with Rule R430-90-13(19)(a-d) by Having Hazardous Chemicals Accessible to Children. During the Inspection, Hazardous Chemicals Were Observed in the Upstairs Bathroom.**
R430-90-13(9)(a)-(d)
- **The Licensee Was Out of Compliance with Rule R430-90-9(14)(a-b) by Not Enclosing the Outdoor Are with a Fence. During the Inspection, in the Outdoor Area the Gate Was Broken. This Was a Repeat Rule Noncompliance as Noted on 4/8/2024.**
R430-90-9(14)(a)-(b)

Apr 8, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.

- **The Provider Was Out of Compliance with His Rule by Not Conducting Fire Drills. At the Time of the Inspection, Two Fire Drills Were Not Conducted. This Was a Repeat Rule Noncompliance.**

R430-90-14(4)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.