

Bright Minds Daycare

West Valley City, UT

5 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Jul 7, 2025

● 5 Important

Across 5 inspections since 2024, the issues cited most often were The Provider Was Out of Compliance with Rule R381-100-24(13)(b) by Not Ensuring Baby Food, Formula, or Breast Milk That Is Brought From Home Is Properly Labeled. In the Infant's Classroom, There Were Bottles Not Labeled with the Time of Preparation. This Was a Repeat Rule Noncompliance as Noted on S (4) and The Provider Was Out of Compliance with This Rule by Not Ensuring That All Electrical Outlets Were Inaccessible to Children Younger Than 5 Years Old. In the Gym Room, There Was an Electrical Outlet Without a Protective Cap Covering It. This Was a Repeat Rule Noncompliance. (1). None of the 5 findings were critical.

Inspection Visits

Jul 7, 2025 1 Finding ● 1 Important

- **The Provider Was Out of Compliance with Rule R381-100-24(13)(b) by Not Ensuring Baby Food, Formula, or Breast Milk That Is Brought From Home Is Properly Labeled. In the Infant's Classroom, There Were Bottles Not Labeled with the Time of Preparation. This Was a Repeat Rule Noncompliance as Noted on S**
R381-100-24(13)(a)-(d)

Feb 25, 2025 1 Finding ● 1 Important

- **The Provider Was Out of Compliance with This Rule by Having a Bottle of Breast Milk That Was Not Labeled with the Required Information. In the Infant Room, There Was a Bottle of Thawed Breast Milk That Had Not Been Labeled with the Time of Preparation. This Was a Repeat Rule Noncompliance.**
R381-100-24(13)(a)-(d)

Feb 10, 2025 1 Finding ● 1 Important

- **The Provider Was Out of Compliance with This Rule by Having Bottles of Breast Milk That Were Not Labeled with the Date and Time of Preparation. In the Infant Room, There Were Bottles of Thawed Breast Milk That Had Not Been Labeled with the Date and Time of Preparation. This Was a Repeat Rule Noncomp**
R381-100-24(13)(a)-(d)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.

Oct 15, 2024 1 Finding ● 1 Important

- **The Provider Was Out of Compliance with This Rule by Not Ensuring That All Electrical Outlets Were Inaccessible to Children Younger Than 5 Years Old. In the Gym Room, There Was an Electrical Outlet Without a Protective Cap Covering It. This Was a Repeat Rule Noncompliance.**

R381-100-13(11)(a)-(b)

Sep 24, 2024 1 Finding ● 1 Important

- **The Provider Was Out of Compliance with This Rule by Having Bottles of Formula That Were Not Labeled with the Date and Time of Preparation. In the Infant Room, There Was a Prepared Bottle of Formula That Had Not Been Labeled with the Date and Time of Preparation. This Was a Repeat Rule Noncompliance**

R381-100-24(13)(a)-(d)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.