

Chrysalis Preschool and Kindergarten

Provo, UT

1 Inspection Visit Since 2025 · 5 Findings

Most recent inspection: Mar 12, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were The Provider Was Out of Compliance with R381-100-13(9)(a) by Having Toxic or Hazardous Chemicals Accessible to Children. In the Hall by the Bathrooms, There Was an Open Canister of Ajax Cleaner on an Accessible Shelf. This Was a Repeat Noncompliance as Noted on 09/14/2023. (2), The Provider Was Out of Compliance with R381-100-14(9) by Not Ensuring That Documentation of Fire and Disaster Drills Was On-site for Review by the Department. At the Time of the Inspection, the Provider Was Unable to Provide the Logs for the Completed Fire and Disaster Drills From the Last 12 Month (1), and The Provider Was Out of Compliance with R381-100-7(9)(c) by Not Ensuring That All Caregivers Completed the Preservice Training Offered by the Department Before Caring for Children. At the Time of the Inspection, the Licensor Found That 3 New Caregivers Had Not Completed the Preservice Training. This (1). None of the 5 findings were critical.

Inspection Visits

Mar 12, 2025 5 Findings ● 5 Important

- **The Provider Was Out of Compliance with R381-100-13(3) by Having Sharp Objects Accessible to Children. In the Hall by the Bathrooms, There Was a Pair of Adult Size Scissors on an Accessible Shelf. This Was a Repeat Noncompliance as Noted on 09/14/2023.**
R381-100-13(3)
- **The Provider Was Out of Compliance with R381-100-13(9)(a) by Having Toxic or Hazardous Chemicals Accessible to Children. In the Hall by the Bathrooms, There Was an Open Canister of Ajax Cleaner on an Accessible Shelf. This Was a Repeat Noncompliance as Noted on 09/14/2023.**
R381-100-13(9)(a)-(d)
- **The Provider Was Out of Compliance with R381-100-14(9) by Not Ensuring That Documentation of Fire and Disaster Drills Was On-site for Review by the Department. At the Time of the Inspection, the Provider Was Unable to Provide the Logs for the Completed Fire and Disaster Drills From the Last 12 Month**
R381-100-14(9)
- **The Provider Was Out of Compliance with R381-100-6(12)(a) by Not Ensuring That Admission and Health Assessment Forms Were Reviewed, Updated and Signed by a Parent at Least Annually. At the Time of the Inspection, One Child's Records Had Not Been Updated as Required.**
R381-100-6(12)(a)-(b)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.

- **The Provider Was Out of Compliance with R381-100-7(9)(c) by Not Ensuring That All Caregivers Completed the Preservice Training Offered by the Department Before Caring for Children. At the Time of the Inspection, the Licensors Found That 3 New Caregivers Had Not Completed the Preservice Training. This**
R381-100-7(9)(a)-(g)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.