

West Elementary Preschool (Tooele)

Tooele, UT

1 Inspection Visit Since 2025 · 2 Findings

Most recent inspection: Mar 6, 2025

● 2 Important

Across 1 inspection since 2025, the issues cited most often were The Provider Was Out of Compliance with ledws-17) 1) by Having an Accessible Medication. In a Teacher Desk Drawer in Classroom 31, There Was Prescription Medication. (1) and The Provider Was Out of Compliance with ledws-11)2) by Having an Accessible Toxic Substance. In a Desk Drawer in Classroom 30, There Was Liquid Correction Fluid. (1). None of the 2 findings were critical.

Inspection Visits

Mar 6, 2025 2 Findings ● 2 Important

- **The Provider Was Out of Compliance with ledws-11)2) by Having an Accessible Toxic Substance. In a Desk Drawer in Classroom 30, There Was Liquid Correction Fluid.**

ledws-13(2)

- **The Provider Was Out of Compliance with ledws-17) 1) by Having an Accessible Medication. In a Teacher Desk Drawer in Classroom 31, There Was Prescription Medication.**

ledws-17(1)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.