

Christensen, Teresa dba The Peanut Farm Daycare/Preschool

Orem, UT

2 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Mar 12, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were The Licensee Was Out of Compliance with R430-90-13(4) by Having Choking Hazards Accessible to Children Younger Than 3 Years of Age. In the Kitchen, There Were Screws & a Small Picture Hanging Hook. This Was a Repeat Rule Noncompliance as Noted on 04/18/2022. (4) and The Provider Was Out of Compliance with This Rule by Having an Inadequate Use Zone. In the Outdoor Play Area, There Was a Tunnel Climber Within 36 Inches of a Shed. This Was a Repeat Rule Noncompliance. (1). None of the 5 findings were critical.

Inspection Visits

Mar 12, 2025 4 Findings ● 4 Important

● **The Licensee Was Out of Compliance with R430-90-13(11)(a)-(b) by Having Electrical Outlets Without Protective Covers When Not in Use. In the Living Room, There Were Two Outlets Without Protective Covers. This Was a Repeat Rule Noncompliance as Noted on 07/30/2024.**

R430-90-13(11)(a)-(b)

● **The Licensee Was Out of Compliance with R430-90-13(4) by Having Choking Hazards Accessible to Children Younger Than 3 Years of Age. In the Kitchen, There Were Screws & a Small Picture Hanging Hook. This Was a Repeat Rule Noncompliance as Noted on 04/18/2022.**

R430-90-13(4)

● **The Licensee Was Out of Compliance with R430-90-13(7) by Having Empty Plastic Bags Accessible to Children Younger Than Five Years Old. In an Upstairs Bedroom, There Was a Grocery Bag. This Was a Repeat Rule Noncompliance as Noted on 07/30/2024, and 04/18/2022.**

R430-90-13(7)

● **The Licensee Was Out of Compliance with R430-90-13(9)(a)-(d) by Having Toxic or Hazardous Materials Accessible to Children. In the Play Area, There Was a Battery.**

R430-90-13(9)(a)-(d)

Jul 30, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.

- **The Provider Was Out of Compliance with This Rule by Having an Inadequate Use Zone. In the Outdoor Play Area, There Was a Tunnel Climber Within 36 Inches of a Shed. This Was a Repeat Rule Noncompliance.**

R430-90-19(3)(a)-(c)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.