

Flores, Maria

Hyrum, UT

1 Inspection Visit Since 2025 · 3 Findings

Most recent inspection: Mar 6, 2025

● 3 Important

Across 1 inspection since 2025, the issues cited most often were The Provider Was Out of Compliance with Dwsffn Requirement 14(6) by Not Conducting Annual Disaster Drills. During the Inspection, the Last Disaster Drill Was Conducted in January 2024. (2) and The Provider Was Out of Compliance with Dwsffn Requirement 13(5) by Having Toxic Substances Accessible to Children. In the Kitchen, There Was Dish Soap and Bleach Under the Sink. In the Bathroom, There Was Spray Paint Under the Sink. (1). None of the 3 findings were critical.

Inspection Visits

Mar 6, 2025 3 Findings ● 3 Important

- **The Provider Was Out of Compliance with Dwsffn Requirement 13(5) by Having Toxic Substances Accessible to Children. In the Kitchen, There Was Dish Soap and Bleach Under the Sink. In the Bathroom, There Was Spray Paint Under the Sink.**

dwsffn-13(5)

- **The Provider Was Out of Compliance with Dwsffn Requirement 14(4) by Not Conducting Quarterly Fire Drills. During the Inspection, the Last Fire Drill Was Conducted in October 2024.**

dwsffn-14(4)

- **The Provider Was Out of Compliance with Dwsffn Requirement 14(6) by Not Conducting Annual Disaster Drills. During the Inspection, the Last Disaster Drill Was Conducted in January 2024.**

dwsffn-14(6)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.