

Millan, Maria

West Jordan, UT

1 Inspection Visit Since 2023 - 2 Findings

Most recent inspection: Sep 8, 2023

● 2 Important

Across 1 inspection since 2023, the issues cited most often were The Provider Was Out of Compliance with This Rule by Having Standing Water. In the Outdoor Area, There Was a Large Cooler That Had Standing Water That Was Deeper Than Two Inches. This Was a Repeat Rule Noncompliance. (1) and The Provider Was Out of Compliance with This Rule by Not Having Completed Forms for Each Enrolled Child. At the Time of the Inspection, One Child Was Missing Their Admission and Health Assessment Form. This Was a Repeat Rule Noncompliance. (1). None of the 2 findings were critical.

Inspection Visits

Sep 8, 2023 2 Findings ● 2 Important

- **The Provider Was Out of Compliance with This Rule by Having Standing Water. In the Outdoor Area, There Was a Large Cooler That Had Standing Water That Was Deeper Than Two Inches. This Was a Repeat Rule Noncompliance.**

R430-90-13(8)

- **The Provider Was Out of Compliance with This Rule by Not Having Completed Forms for Each Enrolled Child. At the Time of the Inspection, One Child Was Missing Their Admission and Health Assessment Form. This Was a Repeat Rule Noncompliance.**

R430-90-6(9)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.