

Mason, Samantha

Salt Lake City, UT

3 Inspection Visits Since 2023 - 5 Findings

Most recent inspection: Feb 12, 2026

● 5 Important

Across 3 inspections since 2023, the issues cited most often were The Licensee Was Out of Compliance with Rule R430-90-19(11)(a)-(e) by Not Following the Requirements for Trampoline Use. In the Outdoor Play Area, There There Were 3 Non School-aged Children Jumping on the Trampoline. (2), The Licensee Was Out of Compliance with R430-90-13(9)(a) by Having Toxic or Hazardous Chemicals Accessible to Children. In the Kitchen, There Were 3 Loose Batteries in an Accessible Drawer. This Was a Repeat Rule Noncompliance as Noted on 6/14/2023. (2), and The Provider Was Out of Compliance with This Rule by Not Conducting Fire Drills. At the Time of the Inspection, the Last Fire Drill Was From June 2023. This Was a Repeat Rule Noncompliance. (1). None of the 5 findings were critical.

Inspection Visits

Feb 12, 2026 1 Finding ● 1 Important

- **The Licensee Was Out of Compliance with Rule R430-90-19(11)(a)-(e) by Not Following the Requirements for Trampoline Use. In the Outdoor Play Area, There There Were 3 Non School-aged Children Jumping on the Trampoline.**

R430-90-19(11)(a)-(e)

Mar 17, 2025 3 Findings ● 3 Important

- **The Licensee Was Out of Compliance with R430-90-13(3) by Having Sharp Objects Accessible to Children. In the Kitchen, There Were Multiple Loose Tacks in an Accessible Drawer. This Was a Repeat Rule Noncompliance as Noted on 6/14/2023.**
R430-90-13(3)
- **The Licensee Was Out of Compliance with R430-90-13(9)(a) by Having Toxic or Hazardous Chemicals Accessible to Children. In the Kitchen, There Were 3 Loose Batteries in an Accessible Drawer. This Was a Repeat Rule Noncompliance as Noted on 6/14/2023.**
R430-90-13(9)(a)-(d)
- **The Licensee Was Out of Compliance with R430-90-19(2) by Having Stationary Play Equipment Placed on a Hard Surface. At the Time of the Inspection, There Were 2 Bare Spots Under the Swings.**
R430-90-19(2)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.

Nov 30, 2023 1 Finding ● 1 Important

- **The Provider Was Out of Compliance with This Rule by Not Conducting Fire Drills. At the Time of the Inspection, the Last Fire Drill Was From June 2023. This Was a Repeat Rule Noncompliance.**

R430-90-14(4)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.