

# ABC Great Beginnings - Taylorsville

Taylorsville, UT

## 2 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Apr 11, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were The Provider Was Out of Compliance with R381-100-17(1) by Not Ensuring That Nonrefrigerated Medication Was Stored at Least 48 Inches Above the Floor. In the Toddler Room, There Were Prescription Medications Under the Diapering Station Accessible to Children. (2), The Provider Was Out of Compliance with R381-100-11(b) by Having Electrical Outlets Without Protective Caps or Safety Devices When Not in Use Accessible to Children Younger Than Five Years Old. In the Toddler Room, There Were Electrical Outlets in a Power Strip Without Protective Caps or Safety Devi (2), and The Provider Was Out of Compliance with This Rule by Having Children Who Were Not Actively Supervised. In the Preschool Room, the Caregiver Did Not Know the Number of Children in Their Care (1). None of the 5 findings were critical.

## Inspection Visits

**Apr 11, 2025** 3 Findings ● 3 Important

- **The Provider Was Out of Compliance with R381-100-11(b) by Having Electrical Outlets Without Protective Caps or Safety Devices When Not in Use Accessible to Children Younger Than Five Years Old. In the Toddler Room, There Were Electrical Outlets in a Power Strip Without Protective Caps or Safety Devi**  
R381-100-13(11)(a)-(b)
- **The Provider Was Out of Compliance with R381-100-13(9)(a) by Having Toxic or Hazardous Chemicals Accessible to Children. In the Toddler Room, There Was a Melamine Cleaning Sponge Accessible to Children. This Was a Repeat Noncompliance as Noted on 09/07/2023.**  
R381-100-13(9)(a)-(d)
- **The Provider Was Out of Compliance with R381-100-17(1) by Not Ensuring That Nonrefrigerated Medication Was Stored at Least 48 Inches Above the Floor. In the Toddler Room, There Were Prescription Medications Under the Diapering Station Accessible to Children.**  
R381-100-17(1)

**Aug 26, 2024** 2 Findings ● 2 Important

### About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.

- **The Provider Was Out of Compliance with This Rule by Having Children Who Were Not Actively Supervised. In the Preschool Room, the Caregiver Did Not Know the Number of Children in Their Care**

R381-100-11(1)(a)-(f)

- **The Provider Was Out of Compliance with This Rule by Having Prescription Medications Without the Original Pharmacy Label or Container. At the Facility, One Child's Medication Did Not Have the Original Pharmacy Label or Box. This Was a Repeat Rule Noncompliance.**

R381-100-17(3)(a)-(d)

#### About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.