

Little Tiger Academy

Layton, UT

2 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Dec 5, 2024

● 5 Important

Across 2 inspections since 2024, the issues cited most often were The Provider Was Out of Compliance with This Rule by Not Ensuring That Standing Water That Measured Two Inches or Deeper and Five by Five Inches or Greater in Diameter Was Inaccessible to Children. In the New 3's Classroom, There Was a Bucket of Standing Water That Was 2 Inches Deep and Had a Diamet (2), The Provider Was Out of Compliance with This Rule by Not Ensuring That a Spring Rocker with a Seat Higher Than 20 Inches and Used by Preschool or School Age Children Had a Use Zone of at Least Six Feet. On the 3 and Older Playground, the Spring Rocker Did Not Have a Six Foot Use Zone. This Was a Rep (1), and The Provider Was Out of Compliance with This Rule by Not Ensuring That Caregivers Provided and Maintained Active Supervision of Each Child, Including Knowing the Number of Children in Their Care at Any Time. In the 2's Room, the Caregiver Did Not Know the Number of Children in Their Care. (1). None of the 5 findings were critical.

Inspection Visits

Dec 5, 2024 2 Findings ● 2 Important

- **The Provider Was Out of Compliance with This Rule by Not Ensuring That Empty Plastic Bags Large Enough for a Child's Head to Fit Inside Were Inaccessible to Children Younger Than Five Years Old. In the Front Infant Room, There Was an Empty Plastic Garbage Bag in a Drawer Near the Floor, Accessible T**

R381-100-13(7)

- **The Provider Was Out of Compliance with This Rule by Not Ensuring That Standing Water That Measured Two Inches or Deeper and Five by Five Inches or Greater in Diameter Was Inaccessible to Children. In the New 3's Classroom, There Was a Bucket of Standing Water That Was 2 Inches Deep and Had a Diamet**

R381-100-13(8)

Feb 20, 2024 3 Findings ● 3 Important

- **The Provider Was Out of Compliance with This Rule by Not Ensuring That Caregivers Provided and Maintained Active Supervision of Each Child, Including Knowing the Number of Children in Their Care at Any Time. In the 2's Room, the Caregiver Did Not Know the Number of Children in Their Care.**

R381-100-11(1)(a)-(f)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.

- **The Provider Was Out of Compliance with This Rule by Not Ensuring That a Spring Rocker with a Seat Higher Than 20 Inches and Used by Preschool or School Age Children Had a Use Zone of at Least Six Feet. On the 3 and Older Playground, the Spring Rocker Did Not Have a Six Foot Use Zone. This Was a Rep**

R381-100-19(9)(a)-(b)

- **The Provider Was Out of Compliance with This Rule by Not Ensuring That the Admission and Health Assessment Form Was Reviewed, Updated and Signed or Initialed by the Parent at Least Annually. At the Time of the Inspection, the Admission and Health Assessment Form for One Child Had Not Been Reviewed,**

R381-100-6(12)(a)-(b)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.