

Lift at Station Park

Farmington, UT

2 Inspection Visits Since 2023 - 2 Findings

Most recent inspection: Apr 13, 2024

● 2 Important

Across 2 inspections since 2023, the issues cited most often were The Provider Was Out of Compliance with This Rule by Having Covered Individuals Involved with Child Care Before Becoming Eligible. In the Facility, There Were Caregivers Who Were Not Eligible. (2). None of the 2 findings were critical.

Inspection Visits

Apr 13, 2024 1 Finding ● 1 Important

- **The Provider Was Out of Compliance with This Rule by Having Covered Individuals Involved with Child Care Before Becoming Eligible. In the Facility, There Were Caregivers Who Were Not Eligible.**

R430-8-5(5)(a)-(d)

Dec 12, 2023 1 Finding ● 1 Important

- **The Provider Was Out of Compliance with This Rule by Having Covered Individuals Involved with Child Care Before Becoming Eligible. In the Facility, There Were Caregivers Who Were Not Eligible. This Was a Repeat Noncompliance.**

R430-8-5(5)(a)-(d)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.