

Whitaker, Christine

Sandy, UT

2 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Jun 18, 2025

● 5 Important

Across 2 inspections since 2025, the issues cited most often were The Licensee Was Out of Compliance with Rule R430-90-13(3) by Having Choking Hazards Accessible to Children Younger Than 3 Years Old. In the Living Room, There Were Broken Crayons and Fake Nails That Fit Into the Choke Tube. This Was a Repeat Rule Noncompliance as Noted on 3/22/2023. (3) and The Licensee Was Out of Compliance with This Rule by Not Maintaining Ratios. At the Time of the Inspection, There Were 17 Children and One Caregiver. (2). None of the 5 findings were critical.

Inspection Visits

Jun 18, 2025 2 Findings ● 2 Important

- **The Licensee Was Out of Compliance with This Rule by Not Maintaining Ratios. At the Time of the Inspection, There Were 17 Children and One Caregiver.**

R430-90-10(1)(a)-(b)

- **The Licensee Was Out of Compliance with This Rule by Exceeding the Group Size of Children in Care. At the Time of the Inspection, There Were 17 Children in Care with One Caregiver.**

R430-90-10(4)

May 29, 2025 3 Findings ● 3 Important

- **The Licensee Was Out of Compliance with Rule R430-13(11) by Having Electrical Outlets Without Protective Covers When Not in Use. In the Living Room and Upstairs Bedroom, There Were Outlets Without Protective Covers. This Was a Repeat Rule Noncompliance as Noted on 3/4/2024.**

R430-90-13(11)(a)-(b)

- **The Licensee Was Out of Compliance with R430-90-13(17) by Having Hot Water Accessible to Children That Exceeded 120 Degrees Fahrenheit. At the Time of the Inspection, the Hot Water in the Upstairs Bathroom Exceeded 128 Degrees Fahrenheit.**

R430-90-13(17)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.

- **The Licensee Was Out of Compliance with Rule R430-90-13(3) by Having Choking Hazards Accessible to Children Younger Than 3 Years Old. In the Living Room, There Were Broken Crayons and Fake Nails That Fit Into the Choke Tube. This Was a Repeat Rule Noncompliance as Noted on 3/22/2023.**

R430-90-13(4)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.