

Neighborhood House Association

Salt Lake City, UT

2 Inspection Visits Since 2024 - 3 Findings

Most recent inspection: Jan 7, 2025

● 3 Important

Across 2 inspections since 2024, the issues cited most often were The Provider Was Out of Compliance with This Rule by Having Toxic or Hazardous Chemicals Accessible to Children. In the Bathrooms of Room 101 and Room 108, There Were Disinfectant Sprays in Unlocked Cabinets. This Was a Repeat Rule Noncompliance. (3). None of the 3 findings were critical.

Inspection Visits

Jan 7, 2025 2 Findings ● 2 Important

- **The Provider Was Out of Compliance with This Rule by Not Ensuring That Plastic Bags Are Inaccessible to Children Younger Than Five Years Old. In Room 121, There Was a Roll of Plastic Garbage Bags in a Drawer Lower Than 36 Inches. This Was a Repeat Rule Noncompliance.**

R381-100-13(7)

- **The Provider Was Out of Compliance with This Rule by Having Toxic or Hazardous Chemicals Accessible to Children. In the Bathrooms of Room 101 and Room 108, There Were Disinfectant Sprays in Unlocked Cabinets. This Was a Repeat Rule Noncompliance.**

R381-100-13(9)(a)-(d)

Jul 15, 2024 1 Finding ● 1 Important

- **The Provider Was Out of Compliance with This Rule by Having Toxic or Hazardous Chemicals Accessible to Children. In the Room 221, There Were Disinfectant Wipes Under the Sink. This Was a Repeat Noncompliance.**

R381-100-13(9)(a)-(d)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.