

Melba S. Lehner Children's School-Weber State University

Ogden, UT

2 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Apr 2, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were The Provider Was Out of Compliance with Rule R381-100-13(9)(a) by Not Ensuring That Hazardous Chemicals Were Inaccessible to Children. In the Yellow Room, There Was a Bottle of Dish Detergent on the Side of the Sink, Accessible to Children. In the Purple Room, There Was an Unlocked Cabinet Under Th (3), The Provider Was Out of Compliance with Rule R381-100-17(1) by Not Ensuring That Nonrefrigerated Medications Were Locked or Stored Above 48 Inches Above the Floor. In the Purple Room, There Was Bottle of Medication on a Shelf in an Unlocked Cabinet, Accessible to Children. This Was a Repeat Rule No (1), and The Provider Was Out of Compliance with This Rule by Not Ensuring That Caregivers Provided and Maintained Active Supervision of Each Child Including for Children Younger Than Five Years Old, a Caregiver Was Physically Present in the Room or Area with the Children. In the Outdoor Playground Area, Th (1). None of the 5 findings were critical.

Inspection Visits

Apr 2, 2025 4 Findings ● 4 Important

- **The Provider Was Out of Compliance with Rule R381-100-13(3) by Not Ensuring That Sharp Objects, Edges, Corners, or Points That Could Cut or Puncture Skin Were Inaccessible to Children. In the Purple Room, There Was a Pair Adult Size Scissors on a Low Counter, Accessible to Children. This Was a Repe**
R381-100-13(3)
- **The Provider Was Out of Compliance with Rule R381-100-13(4) by Not Ensuring That Choking Hazards Were Inaccessible to Children Younger Than Three Years Old. In the Green Room, Where There Were Children Younger Than Three Years Old, There Were Several Broken Crayons in a Bin on a Shelf, Acces- sible T**
R381-100-13(4)
- **The Provider Was Out of Compliance with Rule R381-100-13(9)(a) by Not Ensuring That Hazardous Chemicals Were Inaccessible to Children. In the Yellow Room, There Was a Bottle of Dish Detergent on the Side of the Sink, Accessible to Children. In the Purple Room, There Was an Unlocked Cabinet Under Th**
R381-100-13(9)(a)-(d)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.

- **The Provider Was Out of Compliance with Rule R381-100-17(1) by Not Ensuring That Nonrefrigerated Medications Were Locked or Stored Above 48 Inches Above the Floor. In the Purple Room, There Was Bottle of Medication on a Shelf in an Unlocked Cabinet, Accessible to Children. This Was a Repeat Rule No**

R381-100-17(1)

Oct 15, 2024 1 Finding ● 1 Important

- **The Provider Was Out of Compliance with This Rule by Not Ensuring That Caregivers Provided and Maintained Active Supervision of Each Child Including for Children Younger Than Five Years Old, a Caregiver Was Physically Present in the Room or Area with the Children. In the Outdoor Playground Area, Th**

R381-100-11(1)(a)-(f)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.