

FAA Puddle Jumpers

Salt Lake City, UT

2 Inspection Visits Since 2025 - 2 Findings

Most recent inspection: Jun 4, 2025

● 2 Important

Across 2 inspections since 2025, the issues cited most often were The Provider Was Out of Compliance with Rule R381-100-14(6) by Not Conducting Disaster Drills at Least Once Every Six Months. At the Facility, the Disaster Drills Were Not Conducted at Least Once Every Six Months. (1) and The Provider Was Out of Compliance with This Rule by Not Protecting a Child From Conduct That Endangered a Child in Their Care. In the Facility, a Caregiver Tossed a Child in the Air, Causing the Child to Fall to the Ground and Sustain a Serious Injury to Their Head. (1). None of the 2 findings were critical.

Inspection Visits

Jun 4, 2025 1 Finding ● 1 Important

- **The Provider Was Out of Compliance with Rule R381-100-14(6) by Not Conducting Disaster Drills at Least Once Every Six Months. At the Facility, the Disaster Drills Were Not Conducted at Least Once Every Six Months.**

R381-100-14(6)

Jan 7, 2025 1 Finding ● 1 Important

- **The Provider Was Out of Compliance with This Rule by Not Protecting a Child From Conduct That Endangered a Child in Their Care. In the Facility, a Caregiver Tossed a Child in the Air, Causing the Child to Fall to the Ground and Sustain a Serious Injury to Their Head.**

R381-100-6(3)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.