

# Abed, Faeza

Salt Lake City, UT

## 1 Inspection Visit Since 2025 - 2 Findings

Most recent inspection: Jul 31, 2025

● 2 Important

Across 1 inspection since 2025, the issues cited most often were The Licensee Was Out of Compliance with R430-90-19(13) by Having Strangulation Hazards on or Within the Use Zone of Any Piece of Stationary Play Equipment. In the Outdoor Play Area, the Knobs on the Spider Climber Were Loose. (1) and The Licensee Was Out of Compliance with R430-90-8(2)(a)-(c) by Not Ensuring That Before a New Covered Individual Becomes Involved with Caregiving, They Submit a Background Form and Fingerprints. At the Time of Inspection, One Caregiver Had Not Submitted a Background Form or Fingerprints. (1). None of the 2 findings were critical.

## Inspection Visits

**Jul 31, 2025** 2 Findings ● 2 Important

- **The Licensee Was Out of Compliance with R430-90-19(13) by Having Strangulation Hazards on or Within the Use Zone of Any Piece of Stationary Play Equipment. In the Outdoor Play Area, the Knobs on the Spider Climber Were Loose.**

R430-90-19(13)

- **The Licensee Was Out of Compliance with R430-90-8(2)(a)-(c) by Not Ensuring That Before a New Covered Individual Becomes Involved with Caregiving, They Submit a Background Form and Fingerprints. At the Time of Inspection, One Caregiver Had Not Submitted a Background Form or Fingerprints.**

R430-90-8(2)(a)-(c)

### About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.