

Whittier Elementary Preschool

West Valley, UT

1 Inspection Visit Since 2025 · 2 Findings

Most recent inspection: Mar 27, 2025

● 2 Important

Across 1 inspection since 2025, the issues cited most often were The Provider Was Out of Compliance with Requirement 14(2) by Not Having Documentation of Current CPR and First Aid Certification. At the Time of the Inspection, No One at the Facility Had Documentation of First Aid and CPR Certification. (1) and The Provider Was Out of Compliance with Requirement 13(2) by Not Having Toxic Substances Inaccessible to Children in Care. In the Classroom Next to the Sink, There Was a Chemical Accessible to Children. (1). None of the 2 findings were critical.

Inspection Visits

Mar 27, 2025 2 Findings ● 2 Important

- **The Provider Was Out of Compliance with Requirement 13(2) by Not Having Toxic Substances Inaccessible to Children in Care. In the Classroom Next to the Sink, There Was a Chemical Accessible to Children.**

ledws-13(2)

- **The Provider Was Out of Compliance with Requirement 14(2) by Not Having Documentation of Current CPR and First Aid Certification. At the Time of the Inspection, No One at the Facility Had Documentation of First Aid and CPR Certification.**

ledws-14(3)

About this report

Childery generates this report from public inspection records published by the Utah Department of Health and Human Services, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Utah Department of Health and Human Services, Office of Child Care Licensing.