

CHILDCARE CENTER

7075 PACIFIC AVE SE
LACEY, WA

1 Inspection Visit Since 2025 · 2 Findings

Most recent inspection: Nov 4, 2025

● 2 Important

Across 1 inspection since 2025, the issues cited most often were 0165(2)(c): Licensors Observed Multiple Cords in Classroom D That Were Hanging Down and Accessible to the Children. (1) and 0165(2)(d): Licensors Observed Multiple Trash Cans That Had No Lids Making the Plastic Trash Bag Accessible to Children. (1). None of the 2 findings were critical.

Inspection Visits

Nov 4, 2025 2 Findings ● 2 Important

● **0165(2)(c): Licensors Observed Multiple Cords in Classroom D That Were Hanging Down and Accessible to the Children.**

110-300-0165(2) - An early learning provider must take steps to prevent hazards to children including, but not limited to: (c) Making inaccessible to children straps, strings, co...

● **0165(2)(d): Licensors Observed Multiple Trash Cans That Had No Lids Making the Plastic Trash Bag Accessible to Children.**

Serious: 110-300-0165(2) - Page 2 of 3 Non-Compliances: This section of the Inspection Report lists non-compliances found during any licensing inspection. Information from this section wi...

About this report

Childery generates this report from public inspection records published by the Washington State Department of Children, Youth, and Families, Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Washington State Department of Children, Youth, and Families, Licensing Division.