

CARLTON CHILD CARE

125 W SORENSEN AVE
BRUCE, WI

3 Inspection Visits Since 2025 · 18 Findings

Most recent inspection: Mar 31, 2026

● 18 Important

Across 3 inspections since 2025, the issues cited most often were 251.04(6)(a)1. (9), Garbage Containers - Construction & Disposal Schedule (3), and Staff Record - Physical Examination (2). None of the 18 findings were critical.

Inspection Visits

Mar 31, 2026 10 Findings ● 10 Important

● **Child Record - Enrollment Information**

251.04(6)(a)1.

Child Enrollment form for Child #4 did not have the date of the child's first day of attendance.

● **Staff Record - Physical Examination**

251.05(2)(a)3.a.

The staff file for the kitchen staff did not have documentation of having a completed physical examination.

● **Child Abuse & Neglect - Biennial Training**

251.05(3)(cm)

The kitchen staff did not have documentation of completion in Mandated Reporter - Child Abuse and Neglect training.

● **Garbage Containers - Construction & Disposal Schedule**

251.06(2)(n)

The garbage container in the kitchen had garbage in it and there was no cover lid on the garbage container.

● **Infant & Toddler - Intake Information**

251.09(1)(am)

Child #1 is under 2 years of age and the center did not have a completed Intake Under 2 years form for this child as req

● **251.04(6)(a)1.**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **251.05(2)(a)3.a.**

Rule Number

Rule Summary

● **251.05(3)(cm)**

Rule Number

Rule Summary

● **251.06(2)(n)**

Rule Number

Rule Summary

● **251.09(1)(am)**

Rule Number

Rule Summary

Apr 14, 2025 6 Findings ● 6 Important

● **Staff-To-Child Ratios - Minimum**

251.055(2)(b)

Center staff have stated that a classroom have been out-of-ratios in the morning hours for about 30 minutes in the month

● **Emergencies - Practice Written Plans**

251.06(3)(b)2.

Center staff have stated that the monthly fire evacuation drills were not being done.

● **Medical Log - Pages & Entries**

251.07(6)(dm)2.

Medical log book for the Infant classroom and Toddler classroom had entries that did not include the time of the incide

● **251.055(2)(b)**

Rule Number

Rule Summary

● **251.06(3)(b)2.**

Rule Number

Rule Summary

● **251.07(6)(dm)2.**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

Feb 5, 2025 2 Findings ● 2 Important

● **Fire Extinguishers - Operable, Inspected, Labeled**

251.06(4)(a)

Annual inspection of the center's fire extinguishers is required. The last inspection of the fire extinguishers was com

● **251.06(4)(a)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.