

GIGGLES CHILD CARE CTR

1626 STARR AVE
EAU CLAIRE, WI

2 Inspection Visits Since 2025 - 16 Findings

Most recent inspection: Jan 28, 2026

● 16 Important

Across 2 inspections since 2025, the issues cited most often were 250.04(6)(a)4m. (8), Smoke Detectors - Testing (5), and Staff File - Continuing Education (2). None of the 16 findings were critical.

Inspection Visits

Jan 28, 2026 10 Findings ● 10 Important

● **Child Record - Immunization History Compliance**

250.04(6)(a)4m.

During a records review, it was noted that two children were missing Immunization History from their files.

● **Staff File - Continuing Education**

250.05(2)(f)

During a staff file review, it was noted the licensee didn't complete the required 15 hours of yearly continuing education.

● **Provider Training - Obtain Cpr Certificate**

250.05(3)(e)1.

During a staff record review, it was found that the provider doesn't have a current CPR certificate.

● **Emergency Plans - Practice**

250.06(3)(b)

The provider's documentation showed that fire drills weren't conducted in November and December of 2025. Fire drills are

● **Smoke Detectors - Testing**

250.06(4)(a)3.

The provider's documentation showed the center's smoke detectors weren't tested in November and December of 2025. It's

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **250.04(6)(a)4m.**

Rule Number

Rule Summary

● **250.05(2)(f)**

Rule Number

Rule Summary

● **250.05(3)(e)1.**

Rule Number

Rule Summary

● **250.06(4)(a)3.**

Rule Number

Rule Summary

● **250.06(3)(b)**

Rule Number

Rule Summary

Mar 20, 2025 6 Findings ● 6 Important

● **Access To Materials Potentially Harmful To Children**

250.06(2)(c)

During a monitoring visit, a can of WD-40, a bottle of lamp oil, bottle of isopropyl alcohol and bottle of peroxide were

● **Emergency Plans - Practice**

250.06(3)(b)

The provider didn't have documentation to show fire evacuations drills have been completed monthly, and that tornado dri

● **Smoke Detectors - Testing**

250.06(4)(a)3.

Although smoke detectors were operative on the date of this visit, the provider didn't have documentation of the dates,

● **250.06(2)(c)**

Rule Number

Rule Summary

● **250.06(4)(a)3.**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

- **250.06(3)(b)**
Rule Number
Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.