

TOMAHAWK CHILD CARE CENTER

648 E LINCOLN AVE
TOMAHAWK, WI

5 Inspection Visits Since 2024 · 30 Findings

Most recent inspection: Apr 7, 2026

● 30 Important

Across 5 inspections since 2024, the issues cited most often were 251.06(2)(a) (10), Potential Source Of Harm On Premises (9), and Sharing Information About Food & Other Allergies (6). None of the 30 findings were critical.

Inspection Visits

Apr 7, 2026 14 Findings ● 14 Important

● **Potential Source Of Harm On Premises**

251.06(2)(a)

The heating vents in the Ones A and B Classroom were not flush with the floor and caused a potential tripping or injury

● **Sharing Information About Food & Other Allergies**

251.07(5)(a)10.

One child in the Preschool Classroom had a milk sensitivity and was not listed on the special diet or allergy list in th

● **Menus - Plan**

251.07(5)(a)5.b.

The menu was not planned at least one week in advanced.

● **Medication Administration - Parent Authorization**

251.07(6)(f)1.a.

The parent authorization for one medication in the Ones B Classroom did not include dates specifying the length of the a

● **Washing Child's Hands & Face**

251.07(6)(i)1.

Children in the Ones A and B Classroom did not wash their hands with warm running water and soap after getting their dia

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Adult Handwashing**

251.07(6)(i)2.

Staff in the Ones B Classroom did not wash their hands after changing a diaper.

● **Infant & Toddler - Sinks In Self-Contained Area**

251.09(4)(b)

The handwashing sink in the Mobile Classroom was being used to wash bottles.

● **251.06(2)(a)**

Rule Number

Rule Summary

● **251.07(5)(a)10.**

Rule Number

Rule Summary

● **251.07(5)(a)5.b.**

Rule Number

Rule Summary

● **251.07(6)(f)1.a.**

Rule Number

Rule Summary

● **251.07(6)(i)1.**

Rule Number

Rule Summary

● **251.07(6)(i)2.**

Rule Number

Rule Summary

● **251.09(4)(b)**

Rule Number

Rule Summary

Oct 6, 2025 7 Findings ● 7 Important

● **Outdoor Play Space - Energy-Absorbing Surfaces**

251.06(11)(b)5.

There was no energy-absorbing surface installed under the dome climber. The energy-absorbing surface under the swings an

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Outdoor Play Equipment - Placement**

251.06(11)(bm)4.

The dome climber did not have a four foot fall radius on all sides and was placed against the fence.

● **Exits & Passageways - Unobstructed, Minimum Width**

251.06(4)(d)

The exit doors in the Ones A and Ones B Classrooms were locked and required more than a one-hand and one-motion to open

● **Food Storage - Covering Refrigerated Food**

251.06(9)(d)1.d.

Multiple frozen food items and one refrigerated food item were not properly covered before storage.

● **251.06(11)(b)5.**

Rule Number

Rule Summary

● **251.06(11)(bm)4.**

Rule Number

Rule Summary

● **251.06(4)(d)**

Rule Number

Rule Summary

Mar 3, 2025 1 Finding ● 1 Important

● **Daily Outdoor Activities**

251.07(1)(e)4.

Per interview and observation, staff in the Infant, Ones A, Ones B, and Twos B Classrooms are not providing daily outdoor

Feb 5, 2025 1 Finding ● 1 Important

● **Exits & Passageways - Unobstructed, Minimum Width**

251.06(4)(d)

Per observation in the 2 year old classroom, hanging blinds were blocking the door handle on the patio door exit and hav

Nov 18, 2024 7 Findings ● 7 Important

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Staff Record - Educational Qualifications**

251.05(2)(a)4.d.

Staff C does not have documentation on file that she is assistant teacher qualified.

● **Staff Record - Days & Hours Worked**

251.05(2)(a)6.

Per interview of director and staff, staff are not accurately documenting when they are working in the classroom in rati

● **Supervision Of Children**

251.055(1)(a)

Sight and sound supervision was not being provided on 09/24/2024, when children were able to move a toy shelf away from

● **Staff-To-Child Ratios - Minimum**

251.055(2)(b)

On 09/24/2024, Staff A left the classroom and building for an undetermined amount of time leaving Staff B in charge of a

● **Potential Source Of Harm On Premises**

251.06(2)(a)

Per observation on 11/18/2024, there is a heating vent in the 1 year old classroom that is not secured and is loose caus

● **Smoking Prohibited On Premises And In Vehicles**

251.06(2)(h)

Per interview on 11/18/2024, a staff member has been vaping in her car while on the premises.

● **Exits & Passageways - Unobstructed, Minimum Width**

251.06(4)(d)

Per observation in the 1 year old classroom on 11/18/2024, there was a toy shelf partially blocking the lighted patio do

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.