

SIMPLY GIGGLE MONTESSORI 4K

2007 ONEIL RD
HUDSON, WI

4 Inspection Visits Since 2024 · 26 Findings

Most recent inspection: Feb 13, 2026

● 26 Important

Across 4 inspections since 2024, the issues cited most often were 251.055(1)(f) (13), Staff Record - Physical Examination (5), and Fire Alarms & Smoke Detectors - Drills (4). None of the 26 findings were critical.

Inspection Visits

Feb 13, 2026 6 Findings ● 6 Important

● **Child Tracking Procedure**

251.055(1)(f)

The center has not implemented a procedure to ensure that the number, names and whereabouts of children in care are know

● **Fire Alarms & Smoke Detectors - Drills**

251.06(4)(jm)1.

A fire drill was not documented for the month of January 2026. The center is required to keep written records of dates a

● **Medical Log - Reviewing Injury Records**

251.07(6)(dm)4.

An inspection of the medical log book revealed the log hasn't been reviewed every 6 months as required by rule.

● **251.055(1)(f)**

Rule Number

Rule Summary

● **251.06(4)(jm)1.**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **251.07(6)(dm)4.**

Rule Number

Rule Summary

Aug 20, 2025 2 Findings ● 2 Important

● **Staff Record - Physical Examination**

251.05(2)(a)3.a.

The file for Staff A, who started on 04/01/22, did not contain documentation of a physical examination report completed

● **251.05(2)(a)3.a.**

Rule Number

Rule Summary

Apr 18, 2025 16 Findings ● 16 Important

● **Current, Accurate Daily Attendance Record**

251.04(6)(b)

The attendance was not current and accurate in the purple room on the day of the licensing visit when one of the childre

● **Staff Record - Physical Examination**

251.05(2)(a)3.a.

The file for Staff D did not contain documentation of a physical examination report completed within 12 months before or

● **Staff Record - High School Diploma**

251.05(2)(a)5.

Staff E, an assistant teacher, did not have documentation of a high school diploma or its equivalent in her staff file.

● **Cardiopulmonary Resuscitation Training**

251.05(3)(c)

Staff C and D were missing documentation of having maintained a current certificate of completion for infant and child c

● **Assistant Child Care Teacher - Qualifications**

251.05(3)(g)2.

Staff E was missing documentation of having satisfactorily completed one non-credit Department-approved course in early

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Radon - Testing, Current Providers**

251.06(2)(p)1.b.

The center failed to conduct a test for radon gas levels by September 1, 2023 as was required by rule changes that took

● **Food Storage - Dry Food**

251.06(9)(d)2.a.

Open packages of dry foods were observed in cupboards in the kitchen. Dry foods, if opened, are required to be stored in

● **Infant & Toddler - Provider Training**

251.09(1)(e)

Staff E was assigned as a childcare assistant teacher for infants and toddlers and did not have documentation of a minim

● **251.04(6)(b)**

Rule Number

Rule Summary

● **251.05(2)(a)3.a.**

Rule Number

Rule Summary

● **251.05(2)(a)5.**

Rule Number

Rule Summary

● **251.05(3)(c)**

Rule Number

Rule Summary

● **251.05(3)(g)2.**

Rule Number

Rule Summary

● **251.06(2)(p)1.b.**

Rule Number

Rule Summary

● **251.06(9)(d)2.a.**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

- **251.09(1)(e)**
Rule Number
Rule Summary

Oct 23, 2024 2 Findings ● 2 Important

- **Outdoor Play Space - Energy-Absorbing Surfaces**
251.06(11)(b)5.
There was less than nine inches of energy absorbing material under the swing set.

- **251.06(11)(b)5.**
Rule Number
Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.