

PEE WEE PLAYHOUSE LLC

7900 W BURLEIGH ST
MILWAUKEE, WI

2 Inspection Visits Since 2024 · 20 Findings

Most recent inspection: Oct 20, 2025

● 20 Important

Across 2 inspections since 2024, the issues cited most often were 251.05(3)(cm) (10), Premises - Well Drained, Clean, In Good Repair (3), and Child Tracking Procedure (2). None of the 20 findings were critical.

Inspection Visits

Oct 20, 2025 14 Findings ● 14 Important

● **Child Abuse & Neglect - Biennial Training**

251.05(3)(cm)

Staff 1 and 2 lacked documented training as required

● **Child Tracking Procedure**

251.055(1)(f)

Infant room tracking not in classroom. Infant room tracking in preschool classroom

● **Staff-To-Child Ratios - Minimum**

251.055(2)(b)

One staff with five infants and toddlers

● **Premises - Well Drained, Clean, In Good Repair**

251.06(2)(gm)

Excessive litter and broken equipment in and around outdoor play area

● **Medical Log - Reviewing Injury Records**

251.07(6)(dm)4.

No six month review of the medical log book as required by rule

● **Adult Handwashing**

251.07(6)(i)2.

No adult hand washing prior to diapering

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Infant & Toddler - Diaper Changing Surface Disinfection**

251.09(4)(a)3.

No diaper surface disinfection performed after diaper change

● **251.05(3)(cm)**

Rule Number

Rule Summary

● **251.055(1)(f)**

Rule Number

Rule Summary

● **251.055(2)(b)**

Rule Number

Rule Summary

● **251.06(2)(gm)**

Rule Number

Rule Summary

● **251.07(6)(dm)4.**

Rule Number

Rule Summary

● **251.07(6)(i)2.**

Rule Number

Rule Summary

● **251.09(4)(a)3.**

Rule Number

Rule Summary

Nov 19, 2024 6 Findings ● 6 Important

● **Deteriorating Paint**

251.06(2)(i)

Flaking paint paint on the green wall of the infant classroom behind d pink castle play set

● **Fire Extinguishers - Operable, Inspected, Labeled**

251.06(4)(a)

Fire extinguisher not tagged within last year as required

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Information In Vehicle - List Of Children**

251.08(3)(a)

No list of children being transported

● **251.06(2)(i)**

Rule Number

Rule Summary

● **251.06(4)(a)**

Rule Number

Rule Summary

● **251.08(3)(a)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.