

SUPERIOR CHILDREN'S CENTER

2416 HILL AVE
SUPERIOR, WI

3 Inspection Visits Since 2025 · 30 Findings

Most recent inspection: Apr 23, 2026

● 30 Important

Across 3 inspections since 2025, the issues cited most often were Outdoor Play Equipment - Construction, Condition (12), Staff Record - Physical Examination (9), and Trampolines & Inflatable Bounce Surfaces (3). None of the 30 findings were critical.

Inspection Visits

Apr 23, 2026 22 Findings ● 22 Important

● **Copy Of Policies Available**

251.04(4)(g)

Contrary to rule, there was not a copy of the child care policies of the center made available to the parents in an area

● **Current, Accurate Daily Attendance Record**

251.04(6)(b)

The attendance record was not current and accurate on the day of the monitoring visit when there were 20 children in car

● **Staff Record - Physical Examination**

251.05(2)(a)3.a.

Staff C and Staff D did not have a staff health report on file on the day of the monitoring visit.

● **Staff Record - Days & Hours Worked**

251.05(2)(a)6.

The center did not have accurate documentation of days and hours worked and in which specific classrooms for staff who a

● **Staff Record - Continuing Education**

251.05(2)(a)7.

There was no documentation of the yearly requirements for continuing education for 2025 available for review during the

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Assistant Child Care Teacher - Qualifications**

251.05(3)(g)2.

Staff C has been employed as an assistant teacher since 9/5/2025 and did not have documentation of qualifications in the

● **Meal Prep Personnel - Training**

251.05(3)(gr)3.a.

Rule states meal preparation personnel who prepares meals shall document annual training of at least 1 hour in kitchen s

● **Supervision - Teacher Per Group Of Children**

251.055(1)(b)

At least one child care teacher shall supervise each group of children. On the day of the monitoring visit, a child care

● **Mixed-Age Group - Staff-To-Child Ratio**

251.055(2)(c)

Staff-to-Child ratios were not being met in the Toddler 2 Room on the day of the monitoring visit. This room required a

● **Outdoor Play Equipment - Construction, Condition**

251.06(11)(bm)3.

The outdoor play equipment was in poor condition on the day of the monitoring visit. Multiple pieces of play equipment h

● **Potential Source Of Harm On Premises**

251.06(2)(a)

The parking lot on the premises has multiple large potholes and damage to the asphalt. There were also broken pieces of

● **Access To Materials Potentially Harmful To Children**

251.06(2)(d)

It was observed during the monitoring visit that hand soap and disinfectant solution labeled "keep out of reach of child

● **Premises - Well Drained, Clean, In Good Repair**

251.06(2)(gm)

The premises was not clean or in good condition on the day of the monitoring visit. Many areas of the outdoor premises w

● **Deteriorating Paint**

251.06(2)(i)

Flaking and deteriorating paint was observed on the downstairs stairwell leading to the outdoor play area, on the siding

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Exits & Passageways - Unobstructed, Minimum Width**

251.06(4)(d)

Exits and passageways shall have a minimum clear width of 3 feet and be unobstructed by furniture or other objects. The

● **Indoor Space - Square Footage Per Child**

251.06(7)(a)

The Toddler 2 Room (on the upper level kitchen side) has the square footage available to care for 16 children. It was ob

● **Kitchen - Required Equipment & Utensils**

251.06(9)(a)1.

It was observed during the monitoring visit that a child care worker assisted a child in blowing their nose, and washed

● **Food Storage - Dry Food**

251.06(9)(d)2.a.

A bag of opened crackers was stored in a bag that was taped shut and was without a date. Dry foods, if opened, are requi

● **Trampolines & Inflatable Bounce Surfaces**

251.07(3)(f)

The Assistant Director stated that children in care use a small indoor trampoline, which was observed near the Toddler 2

● **Eating Surfaces - Cleaned, Sanitized**

251.07(5)(b)5.

Child care workers disclosed that the disinfectant solution that is used for diaper changing surfaces is also used on ea

● **Infant & Toddler - Provider Training**

251.09(1)(e)

Staff C, E, and F, are regularly assigned assistant child care teachers for infants and toddlers, did not have documenta

● **Infant & Toddler - Diaper Changing Surface Disinfection**

251.09(4)(a)3.

Child care workers in the Infant and 1's Rooms reported that a bleach solution with an unknown ratio of bleach-to-water

Dec 2, 2025 4 Findings ● 4 Important

● **Access To Materials Potentially Harmful To Children**

251.06(2)(d)

It was observed during the monitoring visit that child locks were in need of repair/replacement, resulting in items pote

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Emergencies - Record Of Fire / Tornado Drills**

251.06(3)(b)4.

No fire drill was documented for the month of November 2025.

● **Food Storage - Cold Storage Thermometers**

251.06(9)(d)1.c.

It was observed during the monitoring visit that the kitchen refrigerator and freezer were not equipped with thermometer

● **Naps Or Rest Periods - Sleeping Surfaces - Children Under 1**

251.07(4)(c)

It was observed during the monitoring visit that pack n' plays in the Infant Nap Room were placed end-to-end with no sol

May 16, 2025 4 Findings ● 4 Important

● **Staff Record - Physical Examination**

251.05(2)(a)3.a.

Staff C did not have a staff health report on file on the day of the monitoring visit.

● **Staff Record - High School Diploma**

251.05(2)(a)5.

Staff C did not have documentation of having a high school diploma or it's equivalent on the day of the monitoring visit

● **Cardiopulmonary Resuscitation Training**

251.05(3)(c)

Staff B did not have documentation of having current CPR on the day of the monitoring visit.

● **Assistant Child Care Teacher - Qualifications**

251.05(3)(g)2.

Staff C has been employed as an assistant teacher since 2/19/24 and did not have documentation of qualifications in the

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.