

ST PETERS RAINBOW PRESCHOOL

145 S 6TH ST
WATERFORD, WI

3 Inspection Visits Since 2024 · 17 Findings

Most recent inspection: Mar 6, 2026



● 17 Important

Across 3 inspections since 2024, the issues cited most often were 251.11(4)(b) (9), Abusive Head Trauma Prevention Training (3), and Premises - Well Drained, Clean, In Good Repair (2). None of the 17 findings were critical.

Inspection Visits

Mar 6, 2026 2 Findings ● 2 Important

● Continuation License - Application Materials Submission

251.11(4)(b)

10/14/2025

● 251.11(4)(b)

Rule Number

Rule Summary

Oct 14, 2025 13 Findings ● 13 Important

● Abusive Head Trauma Prevention Training

251.05(3)(b)

Staff A does not have documentation of completion of department-approved training in abusive head trauma, and appropriat

● Child Abuse & Neglect - Biennial Training

251.05(3)(cm)

Staff A does not have documentation of biennial training on child abuse and neglect reporting requirements within one we

● Staff Orientation - Develop, Implement, Document

251.05(4)(a)

Staff A does not have documentation of a written orientation program (staff orientation checklist) within Staff A's fir

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Premises - Well Drained, Clean, In Good Repair**

251.06(2)(gm)

There is a fan caked with dust in the 2-3k classroom.

● **Medical Log - Pages & Entries**

251.07(6)(dm)2.

The medical log book for the 4 year old classroom is only numbered page 1. The remaining pages are not numbered.

● **Medication Administration - Parent Authorization**

251.07(6)(f)1.a.

Authorizations for an EpiPen (auvi medication) and cetirizine medication for a child do not have a start or end date list

● **251.05(2)(a)3.a.**

Rule Number

Rule Summary

● **251.05(3)(b)**

Rule Number

Rule Summary

● **251.05(3)(cm)**

Rule Number

Rule Summary

● **251.05(4)(a)**

Rule Number

Rule Summary

● **251.06(2)(gm)**

Rule Number

Rule Summary

● **251.07(6)(dm)2.**

Rule Number

Rule Summary

● **251.07(6)(f)1.a.**

Rule Number

Rule Summary

Nov 26, 2024 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Access To Materials Potentially Harmful To Children**

251.06(2)(d)

Urinal disinfectant tablets were not contained in a manner to keep out of reach of children.

● **251.06(2)(d)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.