

YMCA EAST Y

711
COTTAGE GROVE MADISON, WI

7 Inspection Visits Since 2024 - 30 Findings

Most recent inspection: Mar 31, 2026



● 30 Important

Across 7 inspections since 2024, the issues cited most often were 251.055(1)(a) (13), Supervision Of Children (5), and Potential Source Of Harm On Premises (4). None of the 30 findings were critical.

Inspection Visits

Mar 31, 2026 2 Findings ● 2 Important

● **Supervision Of Children**

251.055(1)(a)

A child was not within sight and sound supervision of assigned staff when he left the classroom and hid in a bathroom wh

● **251.055(1)(a)**

Rule Number

Rule Summary

Dec 2, 2025 2 Findings ● 2 Important

● **Potential Source Of Harm On Premises**

251.06(2)(a)

A floor lamp in the Turtles classroom presented a hazard when it had pieces of broken bamboo on it, resulting in sharp e

● **251.06(2)(a)**

Rule Number

Rule Summary

May 30, 2025 6 Findings ● 6 Important

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Child Record - Physical Exam - Under 2**

251.04(6)(a)8.a.

Child 1, who is under age 2, did not have a child health report dated within the past 6 months as required when the most

● **Child Care Teacher - Entry-Level Training**

251.05(3)(f)3.

Staff A was working as a lead teacher in the toddler classroom without documentation of lead teacher qualifications on f

● **Infant & Toddler - Intake Information**

251.09(1)(am)

Child 1, who is under age 2, did not have intake information in the classroom as required.

● **251.04(6)(a)8.a.**

Rule Number

Rule Summary

● **251.05(3)(f)3.**

Rule Number

Rule Summary

● **251.09(1)(am)**

Rule Number

Rule Summary

Mar 12, 2025 4 Findings ● 4 Important

● **Access To Records & Reports - Parents**

251.04(7)(b)

A parent was not allowed access to all records and reports for their child when the center did not provide a parent with

● **Supervision Of Children**

251.055(1)(a)

Each child was not supervised to prevent harm and ensure safety when, based on video footage from February 24, 2025, a 2

● **251.04(7)(b)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **251.055(1)(a)**

Rule Number

Rule Summary

Nov 26, 2024 2 Findings ● 2 Important

● **Premises - Well Drained, Clean, In Good Repair**

251.06(2)(gm)

The premises were not maintained to prevent the entrance of vermin when evidence of mice was discovered inside the center

● **251.06(2)(gm)**

Rule Number

Rule Summary

Oct 4, 2024 11 Findings ● 11 Important

● **Current, Accurate Daily Attendance Record**

251.04(6)(b)

Based on a review of children's attendance records for the Giraffe Room in September 2024, attendance was not current and

● **Staff Record - Days & Hours Worked**

251.05(2)(a)6.

Documentation of the days and hours staff worked, and in which classroom when they were included in the staff-to-child ratio

● **Group Size - Maximum**

251.055(2)(a)

Maximum group size of 12 children when two-year-old children are included was exceeded in the Giraffe Room on 9/19/24 when

● **Staff-To-Child Ratios - Minimum**

251.055(2)(b)

Minimum staff-to-child ratios were exceeded in the Giraffe Room on 19 days in September 2024.

● **Mixed Age Group With Children Under Age 2 - Group Size**

251.055(2)(d)

Maximum group size of eight children when a child under age two was included, was exceeded in the Giraffe Room on 9/03/24

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Department Access To Center**

251.12(2)(a)

The department did not have unrestricted access to the premises identified in the license, including access to child rec

● **251.04(6)(b)**

Rule Number

Rule Summary

● **251.05(2)(a)6.**

Rule Number

Rule Summary

● **251.055(2)(a)**

Rule Number

Rule Summary

● **251.055(2)(b)**

Rule Number

Rule Summary

● **251.055(2)(d)**

Rule Number

Rule Summary

Jun 18, 2024 3 Findings ● 3 Important

● **Electrical Or Hot Surface Protection**

251.06(2)(b)

There was one uncovered electrical outlet at child level in the Turtles room and two uncovered electrical outlets at chi

● **Emergencies - Routes And Shelter Areas Posted**

251.06(3)(b)1.

The fire evacuation route and tornado shelter areas were not posted during the visit.

● **Trampolines & Inflatable Bounce Surfaces**

251.07(3)(f)

There was a mini-trampoline on the floor in the Lions classroom that staff said children use regularly. Staff said they

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.