

KAYS KIDS

146218 DALTON DR
MOSINEE, WI

4 Inspection Visits Since 2024 · 12 Findings

Most recent inspection: Mar 23, 2026

● 12 Important

Across 4 inspections since 2024, the issues cited most often were 250.07(6)(g)6. (6), Handwashing For Persons Working With Children (3), and Child Record - Enrollment Information - Date Of Attendance (1). None of the 12 findings were critical.

Inspection Visits

Mar 23, 2026 4 Findings ● 4 Important

● **Handwashing For Persons Working With Children**

250.07(6)(g)6.

Per observation, Provider put a collar on one of the dogs and did not wash her hands before going back to preparing lunch

● **Pets & Animals - Food Area Restrictions**

250.07(7)(f)

There was a dog that was in the kitchen while Provider was preparing lunch. The dog was also around the children while t

● **250.07(6)(g)6.**

Rule Number

Rule Summary

● **250.07(7)(f)**

Rule Number

Rule Summary

Jul 28, 2025 4 Findings ● 4 Important

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Child Record - Enrollment Information - Date Of Attendance**

250.04(6)(a)1.h

Child 2 did not have the first day of attendance on file.

● **Trampolines & Inflatable Bounce Surfaces**

250.07(3)(e)

Per observation, there was a trampoline in the basement that was accessible to children.

● **250.04(6)(a)1.h**

Rule Number

Rule Summary

● **250.07(3)(e)**

Rule Number

Rule Summary

Feb 5, 2025 2 Findings ● 2 Important

● **Radon - Mitigation System**

250.06(2)(n)4.b.

Radon test results from 08/16/23 show gas levels of 4.8pCi/L and a mitigation system was installed. Updated radon test r

● **250.06(2)(n)4.b.**

Rule Number

Rule Summary

Jun 5, 2024 2 Findings ● 2 Important

● **Regular License - Application Materials Submission Date**

250.11(4)(a)

At least 30 days before the continuation review of the license, an applicant for license renewal shall submit to the dep

● **250.11(4)(a)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.