

GROWING GENIUSES CHILDCARE

5301 N 68TH ST
MILWAUKEE, WI

5 Inspection Visits Since 2024 · 30 Findings

Most recent inspection: Jan 27, 2026

● 30 Important

Across 5 inspections since 2024, the issues cited most often were An Operator Shall Have A Written Plan For Taking Appropriate (16) and 202.08(4m)(a)1. (14). None of the 30 findings were critical.

Inspection Visits

Jan 27, 2026 16 Findings ● 16 Important

● **Prior To A Child's First Day Of Attendance For Any Child In**

202.08(12)(f)1-4

1. The Parents' Home And Work Phone Numbers.

● **A One-Unit Or Two-Unit Residential Building Shall Have A Fun**

202.08(2)(am)1.

The ground floor did not have a functioning carbon monoxide detector.

● **The Indoor And Outdoor Areas Of The Home Shall Be Free Of Ha**

202.08(2)(c)

A loose cord was accessible in the infant room. The cabinet under the sink and two drawers did not have a functioning lo

● **The Premises Shall Have No Flaking, Chipping, Peeling, Or De**

202.08(2)(L)

Peeling paint was accessible in the outdoor play area.

● **For Each Child Under 2 Years Of Age, A Report Of A Physical**

202.08(4)(a)1.

There was no updated health report on file for child #4.

● **The Certified Child Care Operator Shall Have On File For Eac**

202.08(4)(e)

There were no immunization records or completed waivers on file for children #1-#4.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **An Operator Shall Have A Written Plan For Taking Appropriate**

202.08(4m)(a)1.

The written emergency plan did not include procedures for a fire, tornado, flood, extreme outdoor hear or cold, loss of

● **An Operator Shall Have A Written Plan To Prevent And Respond**

202.08(4m)(b)

There was no written policy for preventing and responding to allergy-related emergencies.

● **202.08(4m)(a)1.**

Rule Number

Rule Summary

● **202.08(4m)(b)**

Rule Number

Rule Summary

● **202.08(4)(a)1.**

Rule Number

Rule Summary

● **202.08(4)(e)**

Rule Number

Rule Summary

● **202.08(2)(am)1.**

Rule Number

Rule Summary

● **202.08(2)(c)**

Rule Number

Rule Summary

● **202.08(2)(L)**

Rule Number

Rule Summary

● **202.08(12)(f)1-4**

Rule Number

Rule Summary

Sep 24, 2025 6 Findings ● 6 Important

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **A Child Care Provider Shall Ensure That Each Child Shall Be**

202.08(10)(a)

There was no milk present to meet the USDA CACFP minimum meal patten requirements.

● **The Certified Child Care Operator Shall Be In Ongoing Commun**

202.08(12)(k)

Field trip permission slips were not kept on file for field trips taken the the Botanical Garden and Brown Deer Lanes in

● **The Indoor And Outdoor Areas Of The Home Shall Be Free Of Ha**

202.08(2)(c)

Loose cords, fragrant plugs, a toilet plunger, and hot tools were accessible to children. The cabinet under the sink in

● **202.08(10)(a)**

Rule Number

Rule Summary

● **202.08(2)(c)**

Rule Number

Rule Summary

● **202.08(12)(k)**

Rule Number

Rule Summary

May 20, 2025 2 Findings ● 2 Important

● **A Certified Child Care Operator Shall Comply With All Laws**

202.08(1m)(a)4.

Fingerprints not completed for the following individuals: Individual 001

● **202.08(1m)(a)4.**

Rule Number

Rule Summary

Jan 31, 2025 2 Findings ● 2 Important

● **A One-Unit Or Two-Unit Residential Building Shall Have A Fun**

202.08(2)(am)1.

There was no working carbon monoxide detector on the main level of the home.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **202.08(2)(am)1.**

Rule Number

Rule Summary

Jul 16, 2024 4 Findings ● 4 Important

● **The Indoor And Outdoor Areas Of The Home Shall Be Free Of Ha**

202.08(2)(c)

A razor was accessible in the bathroom and removed immediately.

● **For Each Child Under 2 Years Of Age, A Report Of A Physical**

202.08(4)(a)1.

The health report for child #3 on the Child Record Checklist was outdated.

● **For A Child 2 Years Of Age Or Older, A Report Of A Physical**

202.08(4)(a)2.

The health report for child #4 on the Child Record Checklist was outdated.

● **202.08(4)(a)1.**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.