

TODDLER TOWN LEARNING CENTER

4839 N 24TH ST
MILWAUKEE, WI

3 Inspection Visits Since 2025 · 30 Findings

Most recent inspection: Apr 16, 2026

● 30 Important

Across 3 inspections since 2025, the issues cited most often were Electrical Or Hot Surface Protection (14), Monitoring Results Posted (7), and Staff File - Maintenance & Availability (6). None of the 30 findings were critical.

Inspection Visits

Apr 16, 2026 19 Findings ● 19 Important

● **Monitoring Results Posted**

250.04(2)(i)1.a.

Monitoring results from a visit on 5/13/25 was not posted at the center.

● **Child Record - Physical Exam - Over 2, Under 5**

250.04(6)(a)4.b.

The file for Child 1 lacked documentation of a current physical examination upon review.

● **Current, Accurate Daily Attendance Record**

250.04(6)(b)

Attendance was not current and accurate on the day of the licensing visit, when two children in care were not signed in.

● **Staff File - Maintenance & Availability**

250.05(2)

There is no file available for review for Staff C.

● **Staff File - Background Check Results**

250.05(2)(b)

Staff C does not have documentation of a completed child care background check in the staff file or online, indicating S

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Staff File - Days, Hours Worked**

250.05(2)(c)

Staff are not consistently documenting hours worked when used to meet staff-to-child ratio. On the day of the licensing

● **Provider Training - Current Cpr Certificate**

250.05(3)(e)2.

Staff A and Staff B do not have documentation of a current CPR certificate on file.

● **Staff Orientation - Documentation**

250.05(4)(a)

The orientation checklist on file for Staff B is incomplete, as the checklist is blank.

● **Electrical Or Hot Surface Protection**

250.06(2)(a)

An electrical plug outlet on the wall in the living room was missing a child safety guard cover.

● **Access To Materials Potentially Harmful To Children**

250.06(2)(c)

A can of Lysol was observed on the window sill in the bathroom, open packages of batteries, a can of paint primer and pe

● **Potential Source Of Harm On Premises**

250.06(2)(e)

In the outdoor play space, a utility line was hanging low and loose cords were observed throughout the center, accessibl

● **Deteriorating Or Toxic Paint**

250.06(2)(k)

Flaking paint was observed on the bathroom wall near the sink, accessible to children.

● **Premises - Condition & Repair**

250.06(2)(m)

In the main living room, a floor vent was not secure and cracked.

● **Radon - Testing, Current Providers**

250.06(2)(n)1.b.

A test for Radon gas levels was not conducted by 9/1/23.

● **Emergency Plans - Practice**

250.06(3)(b)

There is no documentation that monthly fire drills were conducted for the months of January, February and March 2026.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Smoke Detectors - Testing**

250.06(4)(a)3.

There is no documentation that monthly smoke detectors were tested for the months of January, February, and March 2026.

● **Meals & Snacks - Records**

250.06(9)(j)

Written records for the past 3 months of meals and snacks served to children in care were not available for review.

● **Play Equipment - Condition**

250.07(3)(a)4.

A basketball hoop in the outdoor play space is not in good operating condition. The basketball hoop is not intact, a sec

● **Pets & Animals - Food Area Restrictions**

250.07(7)(f)

A bowl of dog food was observed on the floor in the hallway, accessible to children.

Jun 5, 2025 1 Finding ● 1 Important

● **Continuation License - Application Materials Submission Date**

250.11(5)(b)

5/13/2025

May 13, 2025 10 Findings ● 10 Important

● **Child Record - Enrollment Information - Authorized Pickup**

250.04(6)(a)1.g

The enrollment form for Child #3 did not have the persons authorized to call for/receive child section completed.

● **Child Record - Heath Exam Report**

250.04(6)(a)4.d.

Child #4 did not have a child health report/physical examination of file for review.

● **Child Record - Immunization History Compliance**

250.04(6)(a)4m.

Child #4 does not have documentation of an immunization history on file for review.

● **Current, Accurate Daily Attendance Record**

250.04(6)(b)

The attendance records for the week of licensing visit were not completed.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Provider Training - Current Cpr Certificate**

250.05(3)(e)2.

Staff A does not have a current updated infant/child CPR certificate on file for review.

● **Electrical Or Hot Surface Protection**

250.06(2)(a)

An outlet plug cover was missing in the bathroom the children use.

● **Access To Materials Potentially Harmful To Children**

250.06(2)(c)

Several personal care items marked keep out of reach of children were observed in the bathroom by the tub and toilet.

● **Premises - Condition & Repair**

250.06(2)(m)

Litter was observed in the outdoor play space.

● **Emergency Plans - Practice**

250.06(3)(b)

The emergency plans were not documented as having been completed.

● **Safe Food**

250.06(9)(c)

An open container of infant formula was labeled with the child s name but was not dated as to when opened.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.