

THE CRAYON BOX

1622 N 27TH ST
MILWAUKEE, WI

2 Inspection Visits Since 2025 · 16 Findings

Most recent inspection: May 21, 2026

● 16 Important

Across 2 inspections since 2025, the issues cited most often were 250.05(2)(b) (8), Child Record - Enrollment Information - Address & Telephone (5), and Smoke Detectors - Testing (2). None of the 16 findings were critical.

Inspection Visits

May 21, 2026 2 Findings ● 2 Important

● **Staff File - Background Check Results**

250.05(2)(b)

Fingerprints not completed for the following individuals: Individual 001

● **250.05(2)(b)**

Rule Number

Rule Summary

Sep 24, 2025 14 Findings ● 14 Important

● **Child Record - Enrollment Information - Address & Telephone**

250.04(6)(a)1.c.

Child 5 & 7 did not have home address available on enrollment form

● **Child Record - Enrollment Information - Parent Contact Info**

250.04(6)(a)1.d.

Child 7 did not have parent contact information on enrollment form

● **Child Record - Enrollment Information - Other Emergency Cont**

250.04(6)(a)1.e.

Child 3, 7 and 8 did not have an emergency contact listed on enrollment form

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Child Record - Enrollment Information - Medical Contact**

250.04(6)(a)1.f

Child 5,6 & 7 did not have physician information listed on enrollment form

● **Child Record - Enrollment Information - Date Of Attendance**

250.04(6)(a)1.h

Child 2-7 did not have first day of attendance date listed on enrollment form

● **Emergency Plans - Practice**

250.06(3)(b)

Fire drills and tornado drills were not practiced or documented for the months of Jun-Sept

● **Smoke Detectors - Testing**

250.06(4)(a)3.

Smoke detectors or carbon monoxide detectors were not tested for the months of Jun-Sept

● **250.04(6)(a)1.c.**

Rule Number

Rule Summary

● **250.04(6)(a)1.d.**

Rule Number

Rule Summary

● **250.04(6)(a)1.e.**

Rule Number

Rule Summary

● **250.04(6)(a)1.f**

Rule Number

Rule Summary

● **250.04(6)(a)1.h**

Rule Number

Rule Summary

● **250.06(4)(a)3.**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

- **250.06(3)(b)**
Rule Number
Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.